



according to Regulation (EC) No 1907/2006

## 22122-42 Ferric Ion Solution

Revision date: 05.09.2018 Product code: 2212242 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

22122-42 Ferric Ion Solution

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Water analysis

## 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Reproductive toxicity: Lact.

Specific target organ toxicity - repeated exposure: STOT RE 1

Hazard Statements:

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause harm to breast-fed children.

Causes damage to organs through prolonged or repeated exposure.

#### 2.2. Label elements

# Regulation (EC) No. 1272/2008

### Hazard components for labelling

Ferric Perchlorate perchloric acid 8 %

Signal word: Danger



according to Regulation (EC) No 1907/2006

### 22122-42 Ferric Ion Solution

Revision date: 05.09.2018 Product code: 2212242 Page 2 of 9

## Pictograms:





#### **Hazard statements**

H314 Causes severe skin burns and eye damage. H362 May cause harm to breast-fed children.

H372 Causes damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P263 Avoid contact during pregnancy and while nursing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

## Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

no data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7732-18-5	Water			80-90 %
	231-791-2			
13537-24-1	Ferric Perchlorate			5-10 %
	236-908-0			
	Ox. Sol. 2, Lact., Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 1; H272 H362 H315 H319 H335 H372			
7601-90-3	perchloric acid %			1-10 %
	231-512-4	017-006-00-4		
	Ox. Liq. 1, Skin Corr. 1A; H271 H314			

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures





according to Regulation (EC) No 1907/2006

#### 22122-42 Ferric Ion Solution

Revision date: 05.09.2018 Product code: 2212242 Page 3 of 9

#### **General information**

Take off all contaminated clothing immediately.

Show this safety data sheet to the doctor in attendance.

#### After inhalation

Move to fresh air. Consult a physician.

#### After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

#### After contact with eyes

Rinse immediately with plenty of water for at least 15 minutes. Call a physician immediately.

#### After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.

Never give anything by mouth to an unconscious person.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

Stomach/intestinal disorders, Nausea, Vomiting, Diarrhoea, Dizziness

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Water, Carbon dioxide (CO2), Alcohol-resistant foam Dry powder,

## 5.2. Special hazards arising from the substance or mixture

The product itself does not burn. Heating may cause an explosion.

Fire may liberate hazardous vapours.

#### 5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

#### **Additional information**

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

## 6.4. Reference to other sections

13. Disposal considerations

### **SECTION 7: Handling and storage**





according to Regulation (EC) No 1907/2006

## 22122-42 Ferric Ion Solution

Revision date: 05.09.2018 Product code: 2212242 Page 4 of 9

### 7.1. Precautions for safe handling

### Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes. Do not breathe vapours/dust.

#### Further information on handling

Observe label precautions.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

Keep at temperatures between 10 and 25 °C.

Protect against light.

#### Hints on joint storage

Protect against Bases, Oxidizing agents

## Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

#### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

## Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and at the end of workday.

#### Eye/face protection

Safety glasses with side-shields

#### Hand protection

Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In case of full contact:

Glove material : Latex gloves Layer thickness: > 0,6 mm Break through time: 480 min

In case of contact through splashing:

Glove material: Latex gloves Layer thickness: > 0,6 mm Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves.

#### Skin protection

Avoid contact with skin, eyes and clothing.





according to Regulation (EC) No 1907/2006

### 22122-42 Ferric Ion Solution

Revision date: 05.09.2018 Product code: 2212242 Page 5 of 9

### Respiratory protection

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light red
Odour: odourless

pH-Value (at 20 °C): <1

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

no data available

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

**Auto-ignition temperature** 

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

**Oxidizing properties** 

no data available

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

1,095 g/cm³

no data available

no data available

soluble

vapour pressure:

1,095 g/cm³

no data available

soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient:

Viscosity / dynamic:

no data available

Viscosity / kinematic:

no data available

Flow time:

no data available

vapour density:

no data available





Be Right<sup>™</sup>

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 22122-42 Ferric Ion Solution

Revision date: 05.09.2018 Product code: 2212242 Page 6 of 9

Evaporation rate:

Solvent separation test:

no data available

solvent content:

no data available

9.2. Other information

Solid content: no data available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents, Bases

#### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Decomposes on heating.

## 10.5. Incompatible materials

Organic materials

#### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No toxicology information is available.

#### **Acute toxicity**

No data is available on the product itself.

# Irritation and corrosivity

Causes skin and eye burns.

## Sensitising effects

No known effect.

### Carcinogenic/mutagenic/toxic effects for reproduction

May cause harm to breastfed babies. (Ferric Perchlorate)

### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

## STOT-repeated exposure

H372 - Causes damage to organs through prolonged or repeated exposure. (Ferric Perchlorate)

#### **Aspiration hazard**

No aspiration toxicity classification

#### Specific effects in experiment on an animal

No toxicology information is available.

#### **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity



Be Right™

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 22122-42 Ferric Ion Solution

Revision date: 05.09.2018 Product code: 2212242 Page 7 of 9

No data is available on the product itself.

#### 12.2. Persistence and degradability

No data is available on the product itself.

#### 12.3. Bioaccumulative potential

No data is available on the product itself.

#### 12.4. Mobility in soil

no data available

## 12.5. Results of PBT and vPvB assessment

no data available

#### 12.6. Other adverse effects

no data available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Advice on disposal

In accordance with local and national regulations.

## Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

#### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

## Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### Contaminated packaging

Dispose of as unused product.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Perchloric

acid/ferric perchlorate solution)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Classification code: C1
Special Provisions: 274
Limited quantity: 1 L
Transport category: 2
Hazard No: 80
Tunnel restriction code: E





according to Regulation (EC) No 1907/2006

## 22122-42 Ferric Ion Solution

Revision date: 05.09.2018 Product code: 2212242 Page 8 of 9

## Other applicable information (land transport)

Excepted Quantities: E2

## Inland waterways transport (ADN)

# Other applicable information (inland waterways transport)

Not tested

#### Marine transport (IMDG)

**14.1. UN number:** UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Marine pollutant: -Special Provisions: 274
Limited quantity: 1 L
EmS: F-A. S-B

### Other applicable information (marine transport)

Excepted Quantities: E2

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 3264

**14.2. UN** proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions: A3 A803 Limited quantity Passenger: 0.5 L

IATA-packing instructions - Passenger: 851
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

#### Other applicable information (air transport)

Excepted Quantities: E2 Passenger-LQ: Y840

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

no data available

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

### Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper



Be Right<sup>™</sup>

## **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

### 22122-42 Ferric Ion Solution

Revision date: 05.09.2018 Product code: 2212242 Page 9 of 9

Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P

These transport data apply to the entire pack

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### Changes

Revision: 05.09.2018

Safety datasheet sections which have been updated: 2, 15, 16

Revision: 06.05.2015

Safety datasheet sections which have been updated: 2, 4, 11

Revision: 09.07.2014

Safety datasheet sections which have been updated: 4-16

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1A; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Lact.; H362	Calculation method
STOT RE 1; H372	Calculation method

#### Relevant H and EUH statements (number and full text)

Π2 <i>1</i> Ι	May cause life of explosion, strong oxidiser.
H272	May intensify fire; oxidiser.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.

#### **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)