

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931066	VISOCOLOR ECO pH 4.0-9.0	Page: 1/8
Printing date: 02.06.2020	Date of issue: 14.09.2018	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

REF 931066  
 Product name VISOCOLOR ECO pH 4.0-9.0  
 REACH Registration number(s): see SECTION 3.1/3.2 or  
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

2 x 24 mL pH-1

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.  
**Uses advised against**  
 not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY  
 Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: <http://www.mn-net.com/SDS>

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

24 mL pH-1



GHS02

Signal word DANGER

Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2

### 2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

24 mL pH-1



GHS02

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931066

VISOCOLOR ECO pH 4.0-9.0

Page: 2/8

Printing date: 02.06.2020

Date of issue: 14.09.2018

Signal word: DANGER

## 2.3 Other hazards

**Possible hazards from physicochemical properties**

Flammable properties. ---

**Information pertaining to particular risks to human and possible symptoms**

---

**Information pertaining to particular risks to the environment**

---

**Other hazards**

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 24 mL pH-1

Chemical:	<i>methyl red (pH indicator)</i>	CAS No.:	493-52-7
Classification:	No criteria for classification or naming of chemical not required.		
Formula:	C <sub>15</sub> H <sub>15</sub> N <sub>3</sub> O <sub>2</sub>		
Pseudonym:	4-(dimethylamino)-azobenzene-1,2'-carboxylic acid		
TSCA Inventory:	listed		
EC No.:	207-776-1		
RTECS:	DG8960000	MFC:	00002425
KE No.:	KE-06693		
Concentration:	< 0.10 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

Chemical:	<i>ethanol</i>	CAS No.:	64-17-5
	(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)		
Classification:	H225, Flam. Liq. 2		
Formula:	C <sub>2</sub> H <sub>6</sub> O; C <sub>2</sub> H <sub>5</sub> OH		
Pseudonym:	ethyl alcohol, methylated spirit		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119457610-43-xxxx		
EC No.:	200-578-6	Indice No.:	603-002-00-5
RTECS:	KQ6300000	MFC:	00003568
KE No.:	KE-13217		
Concentration:	90 - <98 %		
acc. CLP (GHS):	H225, Flam. Liq. 2		

Chemical:	<i>phenolphthalein (pH indicator)</i>	CAS No.:	77-09-8
Classification:	H341, Muta. 2, H350, Carc. 1A, H361f, Repr. 2		
Formula:	C <sub>20</sub> H <sub>14</sub> O <sub>4</sub>		
Pseudonym:	3,3-bis(4-hydroxyphenyl)-1(3H)-isobenzofuranone		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119498295-24-0000		
<b>SVHC listed:</b>	<b>YES (&gt; 1%)</b>		
EC No.:	201-004-7	Indice No.:	604-076-00-1
RTECS:	SM8380000	MFC:	00005913
KE No.:	KE-03234		
Concentration:	0.01 - <0.1 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

Chemical:	<i>indicator dye(s)</i>	CAS No.:	-
Classification:	No criteria for classification or naming of chemical not required.		
TSCA Inventory:	all listed, <1%		
Concentration:	0.01 - <0.1 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931066

VISOCOLOR ECO pH 4.0-9.0

Page: 3/8

Printing date: 02.06.2020

Date of issue: 14.09.2018

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

#### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

#### 4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

### 4.2 Most important symptoms and effects, both acute and delayed

---

### 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

### 5.2 Special hazards arising from the substance or mixture

DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

### 5.4 Additional information

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.

### 6.2 Environmental precautions

not necessary

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.  
Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

### 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 3

Water hazard class (DE): 2

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931066	VISOCOLOR ECO pH 4.0-9.0	Page: 4/8
Printing date: 02.06.2020	Date of issue: 14.09.2018	

**7.2.1 Requirements for stock rooms and containers**  
Keep original product packages tightly closed during handling and storage.

**7.3 Specific end use(s)**  
Product for analytical use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

<b>24 mL pH-1</b>		
Chemical: <i>methyl red (pH indicator)</i>		CAS No.: 493-52-7
Chemical: <i>ethanol</i>		CAS No.: 64-17-5
DNEL: [derm] 343 mg/kg; [inh] 950 mg/m <sup>3</sup>	DNEL = Derived No-Effect Level (for workers)	
PNEC <sub>(fresh water)</sub> : 0.96 mg/L	PNEC = Predicted No Effect Concentration	
TRGS 900 (DE): 200 mL/m <sup>3</sup> / 380 mg/m <sup>3</sup>	E/e respirable	
Short-term exposure factor: 4 (II), Y	skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded	
SUVA(CH) MAK value: 500 ppm / 960 mg/m <sup>3</sup>		
NIOSH: [TWA] 1000 ppm / 1900 mg/m <sup>3</sup>	[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period	
OSHA: [TWA] 1000 ppm / 1900 mg/m <sup>3</sup>		
Chemical: <i>phenolphthalein (pH indicator)</i>		CAS No.: 77-09-8
NIOSH: not listed, NTP Report on Carcinogens (RoC) List Yes (Reasonably anticipated to be a human carcinogen)	[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period	
OSHA: not listed		
Chemical: <i>indicator dye(s)</i>		CAS No.: -

### 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

**8.2.1 Respiratory protection**  
No additional recommendations.

**8.2.2 Hand protection**  
Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

**8.2.3 Eye protection**  
Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

**8.2.4 Skin protection**  
Not necessary.

**8.2.5 Personal hygiene**  
Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>24 mL pH-1</b>		
Appearance: liquid	Colour: red	Odor: alcoholic
Odor limit:	19...93 mg/m <sup>3</sup>	
pH:	7	
Melting point:	-114 °C	
Boiling point:	78 °C	
Flash point:	> 12 °C	
Explosion limits:	3.5 ...15 Vol%	
Vapour pressure (20°C):	59 hPa	
Vapour density <sub>(air=1)</sub> :	1,59	

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931066

VISOCOLOR ECO pH 4.0-9.0

Page: 5/8

Printing date: 02.06.2020

Date of issue: 14.09.2018

Specific gravity: 0,79-0,86 g/cm<sup>3</sup>  
 Solubility in water: 0-100 %  
 Flashing temperature: 425 °C  
 Volatiles by volume: 112 g/m<sup>3</sup>

## 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

### Relevant Properties of Substance Group

Substances are very volatile and form flammable vapour-air mixtures. ---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no further data available.

### 10.2 Chemical stability

No known instability.

### 10.3 Possibility of hazardous reactions

No further data available.

### 10.4 Conditions to avoid

---

### 10.5 Incompatible materials

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 24 mL pH-1

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7  
 TSCA Inventory: listed  
 Korea Exist.Chem.Inventory: KE-06693

Chemical: *ethanol* CAS No.: 64-17-5  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 ACGIH: 1000 ppm  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system  
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-13217  
 LD50<sub>orl rat</sub>: 6200 mg/kg  
 LC<sub>LoWihl gpg</sub>: 21.9 g/m<sup>3</sup>  
 LC<sub>Loworl hmn</sub>: 1400 mg/kg  
 LC50<sub>ihl mouse</sub>: [4h] 39 g/m<sup>3</sup>  
 LC50<sub>ihl rat</sub>: [10h] 20 g/m<sup>3</sup>  
 LD50<sub>drmm rbt</sub>: 20 000 mg/kg  
 LD50<sub>oral mouse</sub>: 3450 mg/kg

TRGS 905 (DE): K5, M5, R<sub>F</sub> C

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931066

VISOCOLOR ECO pH 4.0-9.0

Page: 6/8

Printing date: 02.06.2020

Date of issue: 14.09.2018

Chemical:	<i>phenolphthalein (pH indicator)</i>	CAS No.: 77-09-8
TSCA Inventory:	listed	California Proposition 65 List: listed, cancer
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	PRTR - Class II Designated Chemical Substance, Japan PDSCCL: not listed	
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-03234	
LD50 <sub>orl rat</sub> :	>1000 mg/kg	
EU carcinogen:	Carcinogenicity cat. 2, Germ Cell Mutagenicity cat. 3, >5% Reproductive Toxicity cat. 3	
TRGS 905 (DE):	Karzinogenität Kat. 2	

Chemical:	<i>indicator dye(s)</i>	CAS No.: -
TSCA Inventory:	all listed, <1%	

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 24 mL pH-1

Chemical:	<i>methyl red (pH indicator)</i>	CAS No.: 493-52-7
Water hazard class (DE):	2	
Storage class (VCI):	12-13	

Chemical:	<i>ethanol</i>	CAS No.: 64-17-5
PNEC <sub>(fresh water)</sub> :	0.96 mg/L	
PNEC = Predicted No Effected Concentration		
LC50 <sub>daphnia magna/48h</sub> :	>100 mg/L	
LC50 <sub>pimephales promelas/96h</sub> :	13400 - 15100 mg/L	
LC50 <sub>leuciscus idus/96h</sub> :	[48h] 8140 mg/L	
LC50 <sub>fish/96h</sub> :	13 g/L	
EC50 <sub>daphnia/48h</sub> :	9.3-14.2 g/L	
IC50 <sub>scenedesmus quadricauda/72h</sub> :	[7d] 5000 mg/L	
EC10 <sub>pseudomonas putita/16h</sub> :	[EC5] 6500 mg/L	
Water hazard class (DE):	1	WGK No.: 0096
Dispersion coefficient <sub>(octanol-water)</sub> :	-0.31	
Storage class (VCI):	3	

Chemical:	<i>phenolphthalein (pH indicator)</i>	CAS No.: 77-09-8
Water hazard class (DE):	1	
Dispersion coefficient <sub>(octanol-water)</sub> :	0.9	
Storage class (VCI):	12-13	

Chemical:	<i>indicator dye(s)</i>	CAS No.: -
Storage class (VCI):	12-13	

### 12.2 Persistence and degradability

not necessary

### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

not necessary

### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no additional data available

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931066

VISOCOLOR ECO pH 4.0-9.0

Page: 7/8

Printing date: 02.06.2020

Date of issue: 14.09.2018

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

### 13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

## SECTION 14: Transport information

**14.1. UN number:** 3316 **14.2. UN proper shipping name:** Chemical Kit

**14.3. Class:** 9 **14.4. Packing group:** II

*Road transport*

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

*Air transport*

PAX: 960 max. weight PAX: 10 KG

CAO: 960 max. weight CAO: 10 KG

*Maritime transport*

EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

UN 1993 class 3 II, **Excepted Quantities** ( $\leq 30 \text{ mL} / \Sigma \leq 500 \text{ mL}$ ) = ADR/ IATA E2

or

**14.1 UN number:** 1993 **14.2 UN proper shipping name:** Flammable liquid, n.o.s. (ethanol mixture)

**14.3 Class:** 3 **14.4 Packing group:** II

*Road transport*

Classification code: F1

Limited Quantity: 1 L Tunnel restriction code: E

Excepted Quantity: E 2 Special instructions: 640C

*Air transport*

PAX: 353 max. weight PAX: 5 L

CAO: 364 max. weight CAO: 60 L

*Maritime transport*

EmS: F-E, S-E Storage category: B

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances

### 14.6 Special precautions for user

not necessary

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013

German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see [www.mn-net.com](http://www.mn-net.com)

Look for your country-specific regulations.

### 15.2 Chemical safety assessment

not necessary for these small amounts ---

## SECTION 16: Other information

### 16.1 List of H and P phrases

#### 16.1.1 List of relevant H phrases

H225 Highly flammable liquid and vapour.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931066

VISOCOLOR ECO pH 4.0-9.0

Page: 8/8

Printing date: 02.06.2020

Date of issue: 14.09.2018

## 16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233 Keep container tightly closed.

## 16.2 Training advice

Regular safety training.

## 16.3 Recommended restriction on use

Only for professional user.  
An individual package of this product or test kit has a moderate hazardous potential.

## 16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS  
Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress  
Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress  
Regulation 1480/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress  
TRGS 900, German engineering rules governing limits in air at work, updated 03/2019  
SUVA .CH, Limits in air at work 2009, revised on 01.2009  
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU  
2017-08 Adaption of new ethanol denaturation 2016/1867/EU