MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90232	Spec. ind. pH 8.0-10.0, reel, refill	Page: 1/6
Printing date: 02.06.2020	Date of issue: 06.09.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier
	REF 90232
	Product name Spec. ind. pH 8.0-10.0, reel, refill
	REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.
	3 x 5 m reels indicator paper (refill)
1.2	Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Product for analytical use.
	Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described
1.3	Details of the supplier of the safety data sheet Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY
	Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	Emergency telephone number Information not necessary.
	You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS
SEC	TION 2: Hazard identification
2.1	Classification of the substance or mixture
	5 m reels indicator paper (refill)
	Do not need labelling as hazardous
	Signal word -
	No hazard class
2.2	Label elements
	5 m reels indicator paper (refill)
	Do not need labelling as hazardous Signal word: -
2.3	Other hazards
	Possible hazards from physicochemical properties According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dearger us goods, either because of their applied concentration or because of their total amount is anyone kit

declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	Page: 2/6
Printing date: 02.06.2020 Date of issue: 06.09.2017	

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

Chemical: <i>cellul</i> Classification:		CAS No.: 9004-34-6
Formula:	No criteria for classification or naming of chemical not required. $(C_6 H_{10} O_5)_n$	
TSCA Inventory:	listed	
REACH Reg. No.:	exempt, Annex IV	
EC No.:	232-674-9	
RTECS:	FJ5691460	
KE No.:	KE-05339	
	90 - <100 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	
Chemical: indica	ator dye(s)	CAS No.: -
Classification: TSCA Inventory:	No criteria for classification or naming of chemical not required. all listed, $<\!1\%$	
Concentration:	0.1 - <1 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	

3.3

SECTION 4: First aid measures

4.1 Description of first aid measures

- Place insured person out of danger zone to fresh air immediately.
- After SKIN Contact 4.1.1 Remove dust with wetted tissue.

4.1.2 After EYE Contact Rub dust with teardrops from eyes

- After INHALATION of vapours 4.1.3 After inhalation of dust fresh air should be inhaled. ---
- After ORAL Intake 4.1.4
- 4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture None

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information




MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	90232 g date: 02.06.2020	Spec. ind. pH 8.0-10.0, r Date of issue: 06.09.201		Page: 3/
SEC	FION 6: Accidental rel	lease measures		
6.1	Personal precautions,	protective equipment and emerge	ency procedures	
6.2	Environmental precaut not necessary	tions		
6.3		for containment and cleaning up		
6.4	Reference to other sec	tions		
SEC	FION 7: Handling and	storage		
7.1	Precautions for safe has Handling in accordance with the	andling ne test instruction, that comes with the produ	ıct.	
7.2		orage, including any incompatibility of MACHEREY-NAGEL allows a safe storag 11 nwg		
7.2.1	Requirements for stock Keep original product pac	rooms and containers kages tightly closed during handling and sto	rage.	
7.3	Specific end use(s)			
	Product for analytical use.			
SEC		trols/personal protection		
		trols/personal protection		
SEC⊺ 8.1	FION 8: Exposure con	er (refill) Staub 1.25 A / 4 E mg/m³	CAS No.: 9004-34-6	
	TION 8: Exposure con Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a	er (refill) Staub 1.25 A / 4 E mg/m³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m³ average to a reference period of 8 hours, [STEL] Short-1		
	TION 8: Exposure con Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a OSHA:	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-1 TWA 15 (total) / 5 (resp) mg/m ³	term exposure limit related to a 15-minute period	
	TION 8: Exposure con Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a OSHA: Chemical: indicator dy Exposure controls	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-1 TWA 15 (total) / 5 (resp) mg/m ³		
8.1 8.2	TION 8: Exposure con Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a OSHA: Chemical: indicator dy	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-1 TWA 15 (total) / 5 (resp) mg/m ³	term exposure limit related to a 15-minute period	
8.1 8.2 3.2.1	TION 8: Exposure con Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a OSHA: Chemical: indicator dy Exposure controls Not necessary. Respiratory protection	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-1 TWA 15 (total) / 5 (resp) mg/m ³	term exposure limit related to a 15-minute period	
8.1 8.2 8.2.1 8.2.2	TION 8: Exposure con Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a OSHA: Chemical: indicator dy Exposure controls Not necessary. Respiratory protection Not necessary. Hand protection	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-1 TWA 15 (total) / 5 (resp) mg/m ³	term exposure limit related to a 15-minute period	
8.1	TION 8: Exposure con Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a OSHA: Chemical: indicator dy Exposure controls Not necessary. Respiratory protection Not necessary. Hand protection Not necessary. Eye protection	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-1 TWA 15 (total) / 5 (resp) mg/m ³	term exposure limit related to a 15-minute period	



MACHEREY-NAGE $\langle MN \rangle$ ISO 9001 CERTIFIED

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90232 Printing date: 02.06.2020		Spec. ind. pH 8.0-10.0, reel, refill Date of issue: 06.09.2017		Page: 4/6
SECT	ION 9: Physical and chem	ical properties		
9.1	Information on basic physica	al and chemical prope	rties	
	5 m reels indicator paper (refill) Appearance: solid	Colour: colored	Odor: odorless	
9.2	Other information Relevant Properties of Substance G	roup		
SECT	TON 10: Stability and reac	tivity		
10.1	Reactivity None			
10.2	Chemical stability No known instability.			
10.3	Possibility of hazardous read	ctions		
10.4	Conditions to avoid Not known			
10.5	Incompatible materials Not known. Avoid contact with concent	trated acids and oxidizing age	ents.	
0.6	Hazardous decomposition pr In the original package all parts/all reag period under recommended conditions	gents are safety and separate	ed stored. Decompositions are not observed c	luring the expiration

11: I oxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances.

5 m reels indicator paper (refill)

Chemical:	cellulose		CAS No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List: not li	sted
Exposure Routes:	inhalation, skin and/o	r eye contact	
Target Organs:	Eyes, skin, respirator	y system	
Symptoms:	irritation eyes, skin, n	nucous membrane	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL	yes
Japan CSCL/PRTR:	not listed, Japan PDS	SCL: not listed	-
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.In	ventory: KE-05339		
LD50 _{orl rat} :	>5000 mg/kg		
LC50 _{ihl rat} :	>5800 _{4h} mg/m ³		
LD50 _{drm rbt} :	>2000 mg/kg		
Chemical	indicator due(s)		
Chemical:	indicator dye(s)		CAS No.: -

TSCA Inventory: all listed, <1%

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances. 5 m reels indicator paper (refill)

CAS No.:

MACHEREY-NAGE $\langle MN \rangle$ ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90232 Printing date: 02.06.2020		Spec. ind. pH 8.0-10.0, reel, refill Date of issue: 06.09.2017		Page: 5/6
	Chemical: <i>cellulose</i> Water hazard class (DE): Storage class (VCI):	nwg 11	CAS No.: 9004-34-6	
	Chemical: <i>indicator dy</i> Storage class (VCI):	/e(s) 12-13	CAS No.: -	
12.2	Persistence and degradability not necessary			
12.3	Bioaccumulative potential not necessary			
12.4	Mobility in soil not necessary			
12.5	Results of PBT and vPvB asses no data available	sment		
12.6	Other adverse effects no additional data available			
SECI	TION 13: Disposal considerat	tions		
	lot necessary.			
13.1	Waste treatment methods GENERAL: Empty solids into municipal wa	aste, empty liquids diluted into drains.		
SECT	ION 14: Transport information	on		
1	4.1 - 14.4 Not necessary			
14.5	Environmental hazards			
14.6	Special precautions for user			

not necessarv

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gerahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

- 16.1 List of H and P phrases
- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases
- 16.2 **Training advice**
 - Regular safety training.

16.3 **Recommended restriction on use**

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany ACHEREY-NAGE DE/international: CH: FR: US: (MN> Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: ISO 9001 CERTIFIED Fax: +49 24 21 969-199 Fax: Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com

+41 62 388 55 05 E-mail: sales-ch@mn-net.com Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90232	Spec. ind. pH 8.0-10.0, reel, refill	Page: 6/6
Printing date: 02.06.2020	Date of issue: 06.09.2017	

None

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com