

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : deconex 22 PF  
Revision : 30.05.2017  
Print date : 06.11.2019

Version : 12.2.0

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

deconex 22 PF

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Reserved for industrial and professional use.

#### Relevant identified uses

Detergent

### 1.3 Details of the supplier of the safety data sheet

Borer Chemie Deutschland GmbH

**Street :** Wallbrunnstrasse 24

**Postal code/city :** 79539 Lörrach

**Country :** Deutschland

**Telephone :** +49 7733 3603530

**Telefax :** +497733 3603539

#### Information contact :

##### Manufacturer

Borer Chemie AG

**Street :** Gewerbestrasse 13

**Postal code/city :** 4528 Zuchwil

**Country :** Schweiz

**Telephone :** +41 32 686 56 00

**Telefax :** +41 32 686 56 90

**Information contact :** product.safety@borer.ch

### 1.4 Emergency telephone number

Giftnotruf der Charité - Universitätsmedizin Berlin, 12203 Berlin, Notruf: +49 30 19 24 0

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

Skin Corr. 1A ; H314 - Skin corrosion/irritation : Category 1A ; Causes severe skin burns and eye damage.

STOT SE 3 ; H335 - STOT-single exposure : Category 3 ; May cause respiratory irritation.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



Corrosion (GHS05) · Exclamation mark (GHS07)

##### Signal word

Danger

##### Hazard components for labelling

DISODIUM METASILICATE ; CAS No. : 6834-92-0

SODIUM HYDROXIDE ; CAS No. : 1310-73-2

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** deconex 22 PF  
**Revision :** 30.05.2017  
**Print date :** 06.11.2019

**Version :** 12.2.0

### Hazard statements

H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.

### Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P310 Immediately call a POISON CENTER.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

### 2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

SODIUM CARBONATE ; REACH registration No. : 01-2119485498-19-XXXX ; EC No. : 207-838-8; CAS No. : 497-19-8

Weight fraction :  $\geq 30 - < 100$  %

Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

DISODIUM METASILICATE ; REACH registration No. : 01-2119449811-37-XXXX ; EC No. : 229-912-9; CAS No. : 6834-92-0

Weight fraction :  $\geq 15 - < 30$  %

Classification 1272/2008 [CLP] : Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 STOT SE 3 ; H335

SODIUM HYDROXIDE ; REACH registration No. : 01-2119457892-27-XXXX ; EC No. : 215-185-5; CAS No. : 1310-73-2

Weight fraction :  $\geq 1 - < 5$  %

Classification 1272/2008 [CLP] : Met. Corr. 1 ; H290 Skin Corr. 1A ; H314

#### Additional information

Full text of H- and EUH-phrases: see section 16.

#### Regulation (EC) No. 648/2004: Labelling for contents

None

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately.

#### Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

Flush away with water and rinse. In case of skin irritation, consult a physician.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### Self-protection of the first aider

No special measures are necessary.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes, respiratory system and skin.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : deconex 22 PF  
Revision : 30.05.2017  
Print date : 06.11.2019

Version : 12.2.0

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

The product itself does not burn.

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, foam, extinguishing powder. Carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Fire generates toxic gases.

### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

### 5.4 Additional information

None

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Take the precautions customary when handling chemicals.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4 Reference to other sections

See Chapter 7, 8 & 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. See section 8 of the safety data sheet (general health and safety measures)

#### Protective measures

##### Measures to prevent fire

No anti-explosion measures necessary.

#### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Hints on joint storage

Storage class : 8B

Storage class (TRGS 510) : 8B

#### Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place. Do not store together with Acids, oxidizing agents,

Storage temperature : Optimal storage temperature 20 °C . For details, see product label.

### 7.3 Specific end use(s)

None

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : deconex 22 PF  
Revision : 30.05.2017  
Print date : 06.11.2019

Version : 12.2.0

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

None

### 8.2 Exposure controls

Control any potential exposure using measures such as contained or enclosed systems, properly designed and maintained facilities and a good standard of general ventilation. Drain down systems and clear transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance. Where there is potential for exposure: Ensure relevant staff are informed of the nature of exposure and aware of basic actions to minimise exposures; Ensure suitable personal protective equipment is available; Clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; consider the need for health surveillance; identify and implement corrective actions.

#### Personal protection equipment

##### Eye/face protection

Wear closed protection glasses. DIN EN 166

##### Skin protection

###### Hand protection

In full contact: Protective gloves, PVC or rubber. Layer thickness: 0.4 mm Breakthrough time: > 480 Min. In splash contact: Protective gloves, PVC or rubber. Layer thickness: 0.4 mm Breakthrough time: > 480 Min. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374.

###### Body protection

Light protective clothing.

##### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Avoid inhalation of the product.

##### Suitable respiratory protection apparatus

Filtering device with filter or ventilator filtering device of type: A

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** Powder

**Colour :** white

**Odour :** odourless

#### Safety relevant basis data

<b>Melting point/melting range :</b>			not relevant
<b>Initial boiling point and boiling range :</b>	( 1013 hPa )		not applicable
<b>Decomposition temperature :</b>		>	230 °C
<b>Flash point :</b>			not applicable
<b>Ignition temperature :</b>			not applicable
<b>Lower explosion limit :</b>			not applicable
<b>Upper explosion limit :</b>			not applicable
<b>Bulk density :</b>			1105 kg/m <sup>3</sup>
<b>Water solubility :</b>	( 20 °C )	approx.	100 g/l
<b>pH value (solvent = drinking water) :</b>	( 20 °C / 10 g/l )	approx.	12
<b>Flammable solids :</b>	Not fulfilling criteria for hazard class "Flammable Solids".		
<b>Flammable gases :</b>	Not applicable.		
<b>Oxidising liquids :</b>	Not applicable.		
<b>Explosive properties :</b>	Not explosive according to EU A.14.		

### 9.2 Other information

None

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : deconex 22 PF  
Revision : 30.05.2017  
Print date : 06.11.2019

Version : 12.2.0

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage and handling conditions(See section 7).

### 10.2 Chemical stability

Thermal decomposition above 230 °C.

### 10.3 Possibility of hazardous reactions

Exothermic reaction with: Acids, oxidizing agents,

### 10.4 Conditions to avoid

None, if handled according to order.

### 10.5 Incompatible materials

Acids, oxidizing agents,

### 10.6 Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute effects

##### Acute oral toxicity

Parameter : ATEmix calculated  
Exposure route : Oral  
Effective dose : > 2000 mg/kg

##### Acute inhalation toxicity

Parameter : LC50 ( DISODIUM METASILICATE ; CAS No. : 6834-92-0 )  
Exposure route : Inhalative (dust, mist)  
Effective dose : > 2.06 g/m<sup>3</sup>

#### Irritant and corrosive effects

Causes severe skin burns and eye damage.

#### Sensitisation

No information available.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

No information available.

#### STOT-single exposure

May cause respiratory irritation.

#### STOT-repeated exposure

No information available.

#### Aspiration hazard

No information available.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

##### Acute (short-term) algae toxicity

Parameter : EC50 ( SODIUM CARBONATE ; CAS No. : 497-19-8 )  
Species : Daphnia  
Effective dose : 347 mg/l  
Exposure time : 48 h

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** deconex 22 PF  
**Revision :** 30.05.2017  
**Print date :** 06.11.2019

**Version :** 12.2.0

Parameter : EC50 ( DISODIUM METASILICATE ; CAS No. : 6834-92-0 )  
Species : Daphnia  
Effective dose : 1700 mg/l  
Exposure time : 48 h  
Parameter : EC50 ( SODIUM HYDROXIDE ; CAS No. : 1310-73-2 )  
Species : Daphnia  
Effective dose : 76 mg/l  
Exposure time : 24 h

### Effects in sewage plants

Parameter : Chemical oxygen demand (COD)  
Effective dose : 148 g/kg

## 12.2 Persistence and degradability

### Biodegradation

Parameter : Biodegradability according to OECD  
Effective dose : > 90 %

### Regulation on Detergents (EC) No 648/2004

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request.

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

No information available.

## 12.6 Other adverse effects

No information available.

## 12.7 Additional ecotoxicological information

None

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

In accordance with local official regulations.

## SECTION 14: Transport information

### 14.1 UN number

UN 3262

### 14.2 UN proper shipping name

#### Land transport (ADR/RID)

CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. ( DISODIUM TRIOXOSILICATE · SODIUM HYDROXIDE )

#### Sea transport (IMDG)

CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. ( DISODIUM TRIOXOSILICATE · SODIUM HYDROXIDE )

#### Air transport (ICAO-TI / IATA-DGR)

CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. ( DISODIUM TRIOXOSILICATE · SODIUM HYDROXIDE )

### 14.3 Transport hazard class(es)

#### Land transport (ADR/RID)

**Class(es) :** 8  
**Classification code :** C6  
**Hazard identification number (Kemler No.) :** 80

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : deconex 22 PF  
Revision : 30.05.2017  
Print date : 06.11.2019

Version : 12.2.0

**Tunnel restriction code :** E  
**Special provisions :** LQ 5 kg  
**Hazard label(s) :** 8  
**Sea transport (IMDG)**  
**Class(es) :** 8  
**EmS-No. :** F-A / S-B  
**Special provisions :** LQ 5 kg · E 1 · Segregation Group 18 - Alkalis  
**Hazard label(s) :** 8  
**Air transport (ICAO-TI / IATA-DGR)**  
**Class(es) :** 8  
**Special provisions :** E 1  
**Hazard label(s) :** 8

#### 14.4 Packing group

III

#### 14.5 Environmental hazards

**Land transport (ADR/RID) :** No  
**Sea transport (IMDG) :** No  
**Air transport (ICAO-TI / IATA-DGR) :** No

#### 14.6 Special precautions for user

None

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations

##### Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

#### 15.2 Chemical safety assessment

No information available.

### SECTION 16: Other information

The user is responsible for the observance of all required statutory provisions.

#### 16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### 16.2 Abbreviations and acronyms

None

#### 16.3 Key literature references and sources for data

None

#### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

#### 16.5 Relevant H- and EUH-phrases (Number and full text)

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

#### 16.6 Training advice

None

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** deconex 22 PF  
**Revision :** 30.05.2017  
**Print date :** 06.11.2019

**Version :** 12.2.0

---

### 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---