

according to Regulation (EC) No 1907/2006

12617-42 Lead Standard Solution 100mg/l as Pb

Revision date: 26.09.2016

Product code: 1261742

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

12617-42 Lead Standard Solution 100mg/l as Pb

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street:	Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
1.4. Emergency telephone	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency
<u>number:</u>	service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Substance or mixture corrosive to metals: Met. Corr. 1 Skin corrosion/irritation: Skin Corr. 1A Serious eye damage/eye irritation: Eye Dam. 1 Hazard Statements: May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Signal word: Danger

Pictograms:



Hazard statements

H290 H314 May be corrosive to metals. Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

12617-42 Lead Standard Solution 100mg/l as Pb

Revision date: 26.09.2016

Product code: 1261742

Page 2 of 8

Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	or shower.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P501	Dispose of contents/container to Disposal.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification accordin	g to Regulation (EC) No. 1272/2008 [C	LP]			
7732-18-5	Water			> 95,0 %		
	231-791-2					
7697-37-2	Nitric acid %	1,0 - 5,0 %				
	231-714-2	007-004-00-1				
	Ox. Liq. 2, Skin Corr. 1	A; H272 H314 EUH071				
10099-74-8	Lead(II)-nitrate			<0,1 %		
	233-245-9	082-001-00-6				
	Repr. 1A, Acute Tox. 4 H332 H302 H373 H40	, Acute Tox. 4, STOT RE 2, Aquatic Ac 0 H410	ute 1, Aquatic Chronic 1; H360Df			

Full text of H and EUH statements: see section 16.

Further Information

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). Lead(II)-nitrate

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician after significant exposure.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.



according to Regulation (EC) No 1907/2006

12617-42 Lead Standard Solution 100mg/l as Pb

Revision date: 26.09.2016

Product code: 1261742

Page 3 of 8

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and material for containment and cleaning up

Neutralise with the following product(s): Cover with dry sodium carbonate. pH 6-9 Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Do not breathe vapours or spray mist. Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Standard solution

SECTION 8: Exposure controls/personal protection



according to Regulation (EC) No 1907/2006

12617-42 Lead Standard Solution 100mg/l as Pb

Revision date: 26.09.2016

Product code: 1261742

Page 4 of 8

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid colourless		
Odour:	odourless		
pH-Value (at 20 °C):		< 0,5	
Changes in the physical state			
Melting point:		no data available	
Initial boiling point and boiling range:		101 °C	
Sublimation point:		no data available	
Softening point:		not applicable	
Pour point:		not applicable	
Flash point:		not applicable	
Flammability			
Solid:		not applicable	
Gas:		not applicable	
Explosive properties not applicable			
Lower explosion limits:		no data available	
Upper explosion limits:		no data available	
Ignition temperature:		no data available	
Auto-ignition temperature Solid:		not applicable	
isian No. 1			•



according to Regulation (EC) No 1907/2006

12	617-42 Lead Standard Solution 100mg/l as Pb	
Revision date: 26.09.2016	Product code: 1261742	Page 5 of 8
Gas:	no data available	
Oxidizing properties no data available		
Vapour pressure:	no data available	
Vapour pressure:	no data available	
Density (at 20 °C):	0,995 g/cm³	
Bulk density:	not applicable	
Water solubility:	soluble	
Solubility in other solvents no data available		
Partition coefficient:	not applicable	
Viscosity / dynamic:	no data available	
Viscosity / kinematic:	no data available	
Flow time:	no data available	
Vapour density:	no data available	
Evaporation rate:	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
9.2. Other information		
Solid content:	not applicable	
Corrosive in contact with metals Mild steel: 20,93 mm/a		

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Bases

10.6. Hazardous decomposition products

nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

12617-42 Lead Standard Solution 100mg/l as Pb

Revision date: 26.09.2016

Product code: 1261742

Page 6 of 8

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
10099-74-8	Lead(II)-nitrate				•	
	oral	ATE mg/kg	500			
	inhalation vapour	ATE	11 mg/l			
	inhalation aerosol	ATE	1.5 mg/l			

Irritation and corrosivity

Causes skin and eve burns.

Sensitising effects

No known effect.

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7697-37-2	Nitric acid %						
	Acute fish toxicity	LC50	72 mg/l	96 h	Gambusia affinis	IUCLID	
10099-74-8	Lead(II)-nitrate						
	Acute fish toxicity	LC50 mg/l	0,17		Fish (Heteropneustes fossilis)		
	Acute crustacea toxicity	EC50	1,8 mg/l		Daphnia magna (Water flea)		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7697-37-2	Nitric acid %	-0,21

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available



according to Regulation (EC) No 1907/2006

Safety Data Sheet

12617-42 Lead Standard Solution 100mg/l as Pb

Revision date: 26.09.2016

Product code: 1261742

Page 7 of 8

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 3264
14.2. UN proper shipping name:	Corrosive liquid, acidic, inorganic, n.o.s.
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Inland waterways transport (ADN)	
Other applicable information (inland wat Not tested	erways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 3264
14.2. UN proper shipping name:	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	UN 3264
14.2. UN proper shipping name:	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	no
<u>14.6. Special precautions for user</u> Use personal protective equipment.	
14.7. Transport in bulk according to Annex I Not relevant	I of Marpol and the IBC Code

Not relevant



according to Regulation (EC) No 1907/2006

12617-42 Lead Standard Solution 100mg/l as Pb

Revision date: 26.09.2016

Product code: 1261742

Page 8 of 8

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59): Lead(II)-nitrate

National regulatory information

Water contaminating class (D):

2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 26.09.2016 Safety datasheet sections which have been updated: 1-16

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)