



according to Regulation (EC) No 1907/2006

1817-49 Sulfide 2 Reagent

Revision date: 26.01.2017 Product code: 181749 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1817-49 Sulfide 2 Reagent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1

Germ cell mutagenicity: Muta. 1B Carcinogenicity: Carc. 1B Reproductive toxicity: Repr. 1A

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

May damage fertility. May damage the unborn child. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

potassium dichromate

Signal word: Danger



according to Regulation (EC) No 1907/2006

1817-49 Sulfide 2 Reagent

Revision date: 26.01.2017 Product code: 181749 Page 2 of 9

Pictograms:



Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P201	Obtain special instructions before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P284 In case of inadequate ventilation wear respiratory protection.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P308+P313 IF exposed or concerned: Get medical advice/attention.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
7732-18-5	Water			> 99 %	
	231-791-2				
7778-50-9	potassium dichromate				
	231-906-6				
	Ox. Sol. 2, Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 2, Acute Tox. 2, Acute Tox. 4, Skin Corr. 1B, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H272 H350 H340 H360FD H330 H300 H312 H314 H334 H317 H372 H400 H410				

Full text of H and EUH statements: see section 16.

Further Information

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). potassium dichromate

SECTION 4: First aid measures



HACH LANGE GmbH



Be Right™

according to Regulation (EC) No 1907/2006

1817-49 Sulfide 2 Reagent

Product code: 181749 Revision date: 26.01.2017 Page 3 of 9

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

Induce vomiting, but only if victim is fully conscious. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

sensitising effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Not combustible.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Be Right

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

1817-49 Sulfide 2 Reagent

Revision date: 26.01.2017 Product code: 181749 Page 4 of 9

Advice on safe handling

Avoid contact with skin and eyes. Do not breathe vapours or spray mist.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light.

Further information on storage conditions

Accessible only for authorized persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Chromium (VI) compounds (as Cr)	-	0.05		TWA (8 h)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
	Chromium VI	chromium (creatinine)	10 µmol/mol	urine	Post shift

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use. Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.



according to Regulation (EC) No 1907/2006

1817-49 Sulfide 2 Reagent

Revision date: 26.01.2017 Product code: 181749 Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: orange
Odour: odourless

pH-Value (at 20 °C): 4,2

Changes in the physical state

Melting point:no data availableInitial boiling point and boiling range:100 °CSublimation point:not applicableSoftening point:not applicableFlash point:not applicable

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Inot applicable
Inot applicable
Inot applicable
Inot applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not applicable

Oxidizing properties

not applicable

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

Water solubility:

(at 20 °C)

no data available

no data available

no data available

completely soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available

9.2. Other information

no data available



according to Regulation (EC) No 1907/2006

1817-49 Sulfide 2 Reagent

Revision date: 26.01.2017 Product code: 181749 Page 6 of 9

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

hydroxylamine ... % [> 55 % in aqueous solution], hydrazine

10.6. Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7778-50-9	potassium dichromate							
	oral	LD50	25 mg/kg	rat				
	dermal	LD50 mg/kg	1170	rat				
	inhalation (4 h) vapour	LC50 mg/l	0,094	Rat				
	inhalation (4 h) aerosol	LC50 mg/l	0,094	Rat				

Irritation and corrosivity

No known effect.

Sensitising effects

May cause sensitisation by skin contact. (potassium dichromate)

May cause sensitisation by inhalation. (potassium dichromate)

Carcinogenic/mutagenic/toxic effects for reproduction

H340 - May cause genetic defects. (potassium dichromate)

H350 - May cause cancer. (potassium dichromate)

H360FD - May damage fertility. May damage the unborn child. (potassium dichromate)

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.



according to Regulation (EC) No 1907/2006

1817-49 Sulfide 2 Reagent

Revision date: 26.01.2017 Product code: 181749 Page 7 of 9

Additional information on tests

None known.

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Aquatic toxicity Dose		[h] [d]	Species	Source	Method	
7778-50-9	potassium dichromate						
	Acute fish toxicity	LC50 mg/l	0,131		Lepomis macrochirus (Bluegill sunfish)		
	Acute algae toxicity	ErC50 0,59 mg/l	0,16 -	96 h	Chlorella vulgaris		
	Acute crustacea toxicity	EC50 mg/l	0,035		Daphnia magna (Water flea)		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

1817-49 Sulfide 2 Reagent

Revision date: 26.01.2017 Product code: 181749 Page 8 of 9

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

potassium dichromate

Restrictions on use (REACH, annex XVII):

Entry 28: potassium dichromate

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 26.01.2017

Safety datasheet sections which have been updated: 2, 4, 11

Revision: 12.04.2016

Safety datasheet sections which have been updated: 3

Revision: 1.07.2015

Safety datasheet sections which have been updated: 2, 11

Relevant H and EUH statements (number and full text)

Π2 <i>1</i> 2	iviay intensity life, oxidiser.
H300	Fatal if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.

Revision No: 3 GB - EN Print date: 13.03.2020



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

	1817-49 Sulfide 2 Reagent	
Revision date: 26.01.2017	Product code: 181749	Page 9 of 9
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H340	May cause genetic defects.	

	may cauce anoigy or actima cymptome or broating announce it inhales
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)