

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.0 Revision Date 14.03.2021 Print Date 03.04.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Sodium sulfate anhydrous, coarse granules

for analysis EMSURE® ACS

Product Number : 1.06637 Catalogue No. : 106637 Brand : Millipore

REACH No. : 01-2119519226-43-XXXX

CAS-No. : 7757-82-6

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

# 1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science UK Limited

New Road

The Old Brickyard GILLINGHAM Dorset

SP8 4XT

UNITED KINGDOM

Telephone : +44 (0)1747 833-000Fax : +44 (0)1747 833-313

1.4 Emergency telephone

Emergency Phone # : +44 (0)870 8200418 (CHEMTREC)

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

# 2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

MERCK

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Formula : H2O4S.2Na Molecular weight : 142.04 g/mol CAS-No. : 7757-82-6 EC-No. : 231-820-9

No components need to be disclosed according to the applicable regulations.

#### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

### If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

# In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Sulfur oxides

Sodium oxides

Not combustible.

Fire may cause evolution of:

Sulfur oxides

Ambient fire may liberate hazardous vapours.

## **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore- 1.06637 Page 2 of 9



#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# **6.2 Environmental precautions**

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

# **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

### Personal protective equipment

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Millipore- 1.06637 Page 3 of 9

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

Color: white

b) Odor odorless

c) Odor Threshold Not applicable

d) pH 5.2 - 8.0 at 50 g/l at 20 °C

e) Melting Melting point: 888 °C

point/freezing point

f) Initial boiling point 108.9 °C

and boiling range

g) Flash point Not applicable

h) Evaporation rate No data available

i) Flammability (solid, gas)

The product is not flammable.

j) Upper/lower

No data available

flammability or explosive limits
k) Vapor pressure

Millipore- 1.06637

Not applicable

I) Vapor density No data available



Page 4 of 9

m) Relative density No data available

n) Water solubility 445.5 g/l at 20 °C - OECD Test Guideline 105- completely

soluble

o) Partition coefficient: Not applicable

n-octanol/water

p) Autoignition > 400 °C

temperature - Relative self-ignition temperature for solidsdoes not ignite

q) Decomposition

temperature

r) Viscosity Viscosity, kinematic: No data available

> 890 °C -

Viscosity, dynamic: No data available

s) Explosive properties No data availablet) Oxidizing properties No data available

# 9.2 Other safety information

Bulk density ca.1,400 - 1,600 kg/m3
Surface tension 71 mN/m at 1g/l at 20 °C
- OECD Test Guideline 115

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature). The product is chemically stable under standard ambient conditions (room temperature).

## 10.3 Possibility of hazardous reactions

Risk of explosion with:

smelt

with

Aluminum

### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 423)

Symptoms: Possible damages:, Nausea, Vomiting

Merck

LC50 Inhalation - Rat - male and female - 4 h - > 2.4 mg/l

(OECD Test Guideline 436)

Remarks:

(highest concentration to be prepared)

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: slight irritation - 24 h

(Regulation (EC) No. 440/2008, Annex, B.5)

# Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

# Germ cell mutagenicity

Ames test

Salmonella typhimurium

Result: negative

Remarks: (ECHA)

In vitro mammalian cell gene mutation test

mouse lymphoma cells

Result: negative

Chromosome aberration test in vitro

Chinese hamster lung cells

Result: negative

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

Acute oral toxicity - Possible damages:, Nausea, Vomiting

## Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# 11.2 Additional Information

Not available

Nausea, Vomiting, cardiovascular disorders

Systemic effects:

Millipore- 1.06637

the US and Canada

After uptake of large quantities:



Page 6 of 9

cardiovascular disorders

Symptoms in:

Gastrointestinal tract

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 7,960

mg/l - 96 h (US-EPA)

Toxicity to daphnia

static test EC50 - Daphnia magna (Water flea) - 1,766 mg/l - 48 h

(US-EPA)

and other aquatic invertebrates

Toxicity to algae static test EC50 - Nitzschia sp. - 1,900 mg/l - 120 h

Remarks: (ECHA)

Toxicity to bacteria NOEC - activated sludge - ca. 8 mg/l - 37 Days

Remarks: (ECHA)

## 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the

Millipore- 1.06637 Page 7 of 9



return of chemicals and containers, or contact us there if you have further questions. Notice Directive on waste 2008/98/EC.

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **National legislation**

Seveso III: Directive 2012/18/EU of the : Not applicable European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

# **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

## SECTION 16: Other information

## **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.06637 Page 9 of 9

