

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14458-49 Chloroform

Revision date: 12.07.2017

Product code: 1445849

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

14458-49 Chloroform

CAS No: 67-66-3
Index No: 602-006-00-4
EC No: 200-663-8

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Carcinogenicity: Carc. 2
Germ cell mutagenicity: Muta. 2
Reproductive toxicity: Repr. 2
Acute toxicity: Acute Tox. 3
Acute toxicity: Acute Tox. 4
Skin corrosion/irritation: Skin Irrit. 2
Serious eye damage/eye irritation: Eye Irrit. 2
Specific target organ toxicity - repeated exposure: STOT RE 1

Hazard Statements:

Suspected of causing cancer.
Suspected of causing genetic defects.
Suspected of damaging the unborn child.
Toxic if inhaled.
Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14458-49 Chloroform

Revision date: 12.07.2017

Product code: 1445849

Page 2 of 10

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

chloroform; trichloromethane

Signal word: Danger**Pictograms:**

Hazard statements

H331	Toxic if inhaled.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P301+P312	IF SWALLOWED: Call a POISON CENTER if you feel unwell.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P362	Take off contaminated clothing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

Special labelling of certain mixtures

For use in industrial installations only.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14458-49 Chloroform

Revision date: 12.07.2017

Product code: 1445849

Page 3 of 10

Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
67-66-3	chloroform; trichloromethane	100 %
	200-663-8	602-006-00-4
	Carc. 2, Muta. 2, Repr. 2, Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT RE 1; H351 H341 H361d H331 H302 H315 H319 H372	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with skin

Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Do NOT induce vomiting.

Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Shortness of breath, Dizziness, Spasm, Nausea, Vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14458-49 Chloroform

Revision date: 12.07.2017

Product code: 1445849

Page 4 of 10

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ventilators required at emission site. Use only in well-ventilated areas. Do not breathe vapours/dust.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light.

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
67-66-3	Chloroform	2	9.9		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14458-49 Chloroform

Revision date: 12.07.2017

Product code: 1445849

Page 5 of 10

contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. respirator with AX filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	sweet
pH-Value:	not applicable

Changes in the physical state

Melting point:	-64 °C
Initial boiling point and boiling range:	61 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature: no data available

Oxidizing properties

not applicable

Vapour pressure: (at 20 °C)	213 hPa
Density (at 20 °C):	1,49 g/cm ³
Bulk density:	not applicable
Water solubility: (at 20 °C)	8 g/L

Solubility in other solvents

no data available

Partition coefficient:	no data available
Viscosity / dynamic: (at 20 °C)	0,56 mPa·s

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14458-49 Chloroform

Revision date: 12.07.2017

Product code: 1445849

Page 6 of 10

Viscosity / kinematic:	@N09.006025560 mm ² /s
Flow time:	no data available
Vapour density: (at 20 °C)	4,1
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

9.2. Other information

Solid content:	not applicable
----------------	----------------

SECTION 10: Stability and reactivity
10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances:

Ammonia, Alcohols, Amines, Powdered metals, Alkali metals, Bases, Finely divided aluminium

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

Sensitivity to light

10.5. Incompatible materials

Rubber products, Plastic material, including expanded plastics material

10.6. Hazardous decomposition products

Heating can release hazardous gases.

SECTION 11: Toxicological information
11.1. Information on toxicological effects
Toxicokinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

Toxic by inhalation.

Harmful if swallowed.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-66-3	chloroform; trichloromethane				
	oral	LD50 mg/kg	695	rat	Gestis
	dermal	LD50 mg/kg	20000	rabbit	Gestis
	inhalation (4 h) vapour	LC50	47,7 mg/l	rat	Gestis
	inhalation aerosol	ATE	0,5 mg/l		

Irritation and corrosivity

May cause eye and skin irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14458-49 Chloroform

Revision date: 12.07.2017

Product code: 1445849

Page 7 of 10

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

H351 - Suspected of causing cancer.

H361d - Suspected of damaging the unborn child.

STOT-single exposure

H336 - May cause drowsiness or dizziness.

STOT-repeated exposure

The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Do not flush into surface water or sanitary sewer system.

May cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
67-66-3	chloroform; trichloromethane					
	Acute fish toxicity	LC50	28 mg/l	96 h		Gestis
	Acute crustacea toxicity	EC50	66,8 mg/l	48 h		Gestis

12.2. Persistence and degradability

Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-66-3	chloroform; trichloromethane	2

12.4. Mobility in soil

Mobile in soils

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14458-49 Chloroform

Revision date: 12.07.2017

Product code: 1445849

Page 8 of 10

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN1888
14.2. UN proper shipping name: CHLOROFORM
14.3. Transport hazard class(es): 6.1
14.4. Packing group: III
Hazard label: 6.1



Classification code: T1
Limited quantity: 5 L
Transport category: 2
Hazard No: 60
Tunnel restriction code: E

Other applicable information (land transport)

Excepted Quantities: E1

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN1888
14.2. UN proper shipping name: CHLOROFORM
14.3. Transport hazard class(es): 6.1
14.4. Packing group: III
Hazard label: 6.1



Marine pollutant: --
Special Provisions: -
Limited quantity: 5 L
EmS: F-A, S-A

Other applicable information (marine transport)

Excepted Quantities: E1

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN1888
14.2. UN proper shipping name: CHLOROFORM
14.3. Transport hazard class(es): 6.1
14.4. Packing group: III

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14458-49 Chloroform

Revision date: 12.07.2017

Product code: 1445849

Page 9 of 10

Hazard label: 6.1



Limited quantity Passenger: 2 L

IATA-packing instructions - Passenger:	680
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	680
IATA-max. quantity - Cargo:	220 L

Other applicable information (air transport)

Excepted Quantities: E1
Passenger-LQ: Y680

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):
Entry 32: chloroform; trichloromethane

Additional information

Classification according to EU Directives 67/548/EEC or 1999/45/EC
The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Changes**

Revision: 12.07.2017
Safety datasheet sections which have been updated: 2, 3
Revision: 16.06.2016
Safety datasheet sections which have been updated: 2, 11
Revision: 27.10.2015
Safety datasheet sections which have been updated: 2
Revision: 16.03.2015
Safety datasheet sections which have been updated: 3-16

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14458-49 Chloroform

Revision date: 12.07.2017

Product code: 1445849

Page 10 of 10

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.