Version Revision Date: SDS Number: Date of last issue: 24.11.2017 2.2 26.10.2018 R11819 Date of first issue: 07.02.2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Korsolex-Endo-Disinfectant

Product code : R11819

Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH

Melanchthonstraße 27 22525 Hamburg

Tel.: +49 (0)40 / 54 00 60

Supplier :

Responsible Department : Scientific Affairs

Kundenservice@SIDA-BODE-CHEMIE.de

Emergency telephone number : Giftnotruf Göttingen

24h-Phone +49 (0)551 / 1 92 40

Recommended use of the chemical and restrictions on use

Recommended use : In-door use

Application in a closed system

Disinfectants and general biocidal products

For further information, refer to the product technical data sheet.

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Sub-category 1A

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic haz-

ard

Category 3

GHS label elements

Hazard pictograms









Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H302 + H332 Harmful if swallowed or if inhaled. H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTER/doctor. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant. Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Glutaral	111-30-8	>= 20 - < 25	
Ethanol	64-17-5	>= 10 - < 20	
2-phosphonobutane-1,2,4-tricarboxylic acid	37971-36-1	>= 1 - < 10	

4. FIRST AID MEASURES

General advice : Call a physician immediately.

If inhaled : Remove to fresh air immediately. Get medical attention immediately.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If swallowed : Rinse mouth.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

None known.

Notes to physician : Keep under medical supervision for at least 48 hours.

For specialist advice physicians should contact the Poisons Infor-

mation Service.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water

Dry powder Foam

Carbon dioxide (CO2)

Unsuitable extinguishing media : none

Specific hazards during fire-

fighting

Cool closed containers exposed to fire with water spray.

Hazardous combustion products : No hazardous combustion products are known

Special protective equipment for

firefighters

In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective : equipment and emergency pro-

cedures

Ensure adequate ventilation.

Environmental precautions : Should not be released into the environment.

Methods and materials for con-

tainment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

7. HANDLING AND STORAGE

Advice on protection against fire :

and explosion

No special protective measures against fire required.

Advice on safe handling : Prepare the working solution as given on the label(s) and/or the user

instructions.

Conditions for safe storage : Store at room temperature in the original container.

Keep tightly closed.

Materials to avoid : Keep away from food and drink.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of ex-	Control parameters / Permissible con-	Basis
		posure)	centration	
Ethanol	64-17-5	STEL	1.000 ppm	ACGIH

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit

they must use appropriate certified respirators.

Respirator with a vapour filter (EN 141)

Hand protection

In case of full contact: Nitrile rubber

Material : Protective gloves complying with EN 374.

Break through time : > 480 min Glove thickness : 0,1 mm

Protective index : Class 6

Peha-soft nitrile guard

Remarks : In case of full contact: Nitrile rubber

Eye protection : Tightly fitting safety goggles

Ensure that eyewash stations and safety showers are close to the

workstation location.

Skin and body protection : Lightweight protective clothing

Hygiene measures : Handle in accordance with good industrial hygiene and safety prac-

tice.

Avoid contact with the skin and the eyes.

Ensure adequate ventilation, especially in confined areas.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

Odour : characteristic

pH : 2,5 (20 °C)

Melting point/range : not determined

Boiling point/boiling range : not determined

Flash point : 47 °C

Method: DIN 51755 Part 1

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Density : 1,04 g/cm3 (20 °C)

Solubility(ies)

Water solubility : completely miscible

Viscosity

Viscosity, dynamic : No data available

Conductivity : No data available

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : None reasonably foreseeable.

Conditions to avoid : Heat

Strong sunlight for prolonged periods.

Incompatible materials : Bases

Hazardous decomposition prod: No decomposition if used as directed.

ucts

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 1,4 mg/l

Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

Glutaral (CAS: 111-30-8):

Acute inhalation toxicity : LC50 (Rat, female): 0,28 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Assessment: Corrosive to the respiratory tract.

Ethanol (CAS: 64-17-5):

Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 51 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

2-phosphonobutane-1,2,4-tricarboxylic acid (CAS: 37971-36-1):

Acute oral toxicity : LD50 (Rat): > 6.500 mg/kg

Acute dermal toxicity : LD50 (Rat): > 4.000 mg/kg

Skin corrosion/irritation

Components:

Glutaral (CAS: 111-30-8):

Species: Rabbit

Method: OECD Test Guideline 404

Result: Corrosive

Ethanol (CAS: 64-17-5): Species: human skin Result: Mild skin irritation

Remarks: Based on available data, the classification criteria are not met.

2-phosphonobutane-1,2,4-tricarboxylic acid (CAS: 37971-36-1):

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Serious eye damage/eye irritation

Components:

Ethanol (CAS: 64-17-5):

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritating to eyes.

2-phosphonobutane-1,2,4-tricarboxylic acid (CAS: 37971-36-1):

Species: Rabbit

Method: OECD Test Guideline 405

Result: Mild eye irritation

Respiratory or skin sensitisation

Components:

Glutaral (CAS: 111-30-8):

Species: Guinea pig

Result: The product is a skin sensitiser, sub-category 1A.

Result: May cause sensitisation by inhalation.

Ethanol (CAS: 64-17-5):

Species: Mouse

Method: OECD Test Guideline 429 Result: Does not cause skin sensitisation.

2-phosphonobutane-1,2,4-tricarboxylic acid (CAS: 37971-36-1):

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

Components:

Glutaral (CAS: 111-30-8):

Assessment: May cause respiratory irritation.

STOT - repeated exposure

No data available

Repeated dose toxicity

No data available

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 41 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to microorganisms : IC50 (Pseudomonas putida): 19 mg/l

Exposure time: 72 h Method: DIN 38 412 Part 8

Components:

Glutaral (CAS: 111-30-8):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,8 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,1 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 0,6 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,025 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) :

NOEC: 1,6 mg/l Exposure time: 97 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

NOEC: 5 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxici: :

ty)

: 1

Ethanol (CAS: 64-17-5):

Toxicity to fish : LC50 (Fish): 13.000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 12.340 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

2-phosphonobutane-1,2,4-tricarboxylic acid (CAS: 37971-36-1):

Toxicity to fish : NOEC (Brachydanio rerio (zebrafish)): 1.042 mg/l

Exposure time: 14 d

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.071 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Scenedesmus capricornutum (fresh water algae)): > 1.081

mg/l

Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic

toxicity)

NOEC: 104 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Persistence and degradability

Product:

Biodegradability : Method: OECD Test Guideline 301D

Remarks: Readily biodegradable, according to appropriate OECD

test.

Components:

Glutaral (CAS: 111-30-8):

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD

test.

Biochemical Oxygen Demand

(BOD)

Biochemical oxygen demand

235 mg/g

Incubation time: 5 d

Chemical Oxygen Demand

(COD)

1.385 mg/g

Ethanol (CAS: 64-17-5):

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD

test.

Bioaccumulative potential

No data available

Mobility in soil
No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national

regulations.

The product should not be allowed to enter drains, water courses or

the soil.

Contaminated packaging : Empty remaining contents.

Clean container with water.

Offer rinsed packaging material to local recycling facilities.

14. TRANSPORT INFORMATION

ADR

UN number : UN 2920

Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.

(glutaral, ethanol)

Class : 8
Subsidiary risk : 3
Packing group : II
Labels : 8 (3)
Hazard Identification Number : 83
Tunnel restriction code : (D/E)

UNRTDG

UN number : UN 2920

Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.

(glutaral, ethanol)

Class : 8
Subsidiary risk : 3
Packing group : II
Labels : 8 (3)

IATA-DGR

UN/ID No. : UN 2920

Proper shipping name : Corrosive liquid, flammable, n.o.s.

(glutaral, ethanol)

Class : 8 Subsidiary risk : 3 Packing group : II

Labels : Class 8 - Corrosive, Class 3 - Flammable Liquid

Packing instruction (cargo air- : 85

craft)

Packing instruction (passenger : 851

aircraft)

IMDG-Code

UN number : UN 2920

Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.

(glutaral, ethanol)

Class : 8
Subsidiary risk : 3
Packing group : II
Labels : 8 (3)
EmS Code : F-E, S-C
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture International Regulations


16. OTHER INFORMATION

Safety datasheet sections which have been updated:

8. Exposure controls/personal protection

Further information

NFPA:



Special hazard.

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / STEL : Short-term exposure limit

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG -Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Tai-

SAFETY DATA SHEET

Korsolex-Endo-Disinfectant

wan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN