MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90229	Spec. ind. pH 5.5-9.0, reel, refill	Page: 1/6
Printing date: 02.06.2020	Date of issue: 06.09.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	REF 90229	
	Product name Spec. ind. pH 5.5-9.0, reel, refill	
	REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.	
	3 x 5 m reels indicator paper (refill)	
1.2	 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described 	
1.3	 Details of the supplier of the safety data sheet Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com 	com)
1.4	Emergency telephone number Information not necessary.	
	You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS	
SEC	ECTION 2: Hazard identification	
2.1	Classification of the substance or mixture	
	5 m reels indicator paper (refill)	
	Do not need labelling as hazardous	
	Signal word -	
	No hazard class	
2.2	Label elements	
	5 m reels indicator paper (refill) Do not need labelling as hazardous Signal word: -	
2.3	Other hazards	
	Possible hazards from physicochemical properties According to our current status of knowledge and experience we state, that this product does not contain any in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goo	

in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

MACHEREY-NAGE $\langle MN \rangle$ ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 90229
 Spec. ind. pH 5.5-9.0, reel, refill
 Page: 2/6

 Printing date: 02.06.2020
 Date of issue: 06.09.2017
 Page: 2/6

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

Chemical: <i>cellul</i> Classification:	No criteria for classification or naming of chemical not required.	CAS No.: 9004-34-6
Formula:	$(C_6 H_{10} O_5)_n$	
TSCA Inventory:	listed	
REACH Reg. No.:	exempt, Annex IV	
EC No.:	232-674-9	
RTECS:	FJ5691460	
KE No.:	KE-05339	
Concentration:	90 - <100 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	
Chemical: indica	tor dye(s)	CAS No.: -
Classification:	No criteria for classification or naming of chemical not required.	
TSCA Inventory:	all listed, <1%	
• • • • • • • • • • • • • • • • • • • •	0.1 - <1 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	

3.3

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact Remove dust with wetted tissue.

4.1.2 After EYE Contact Rub dust with teardrops from eyes

- 4.1.3 After INHALATION of vapours After inhalation of dust fresh air should be inhaled. ---
- 4.1.4 After ORAL Intake
- 4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture None.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

www.mn-net.com



MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Printin	90229 g date: 02.06.2020	Spec. ind. pH 5.5-9.0, red Date of issue: 06.09.201		Page: 3/6
SEC	FION 6: Accidental re	lease measures		
6.1	Personal precautions,	protective equipment and emerge	ency procedures	
6.2	Environmental precau not necessary	tions		
6.3		for containment and cleaning up r. Flush used water into drains.		
6.4	Reference to other sec	tions		
SEC	FION 7: Handling and	storage		
7.1	Precautions for safe h Handling in accordance with the	andling he test instruction, that comes with the produ	ct.	
7.2		orage, including any incompatibili of MACHEREY-NAGEL allows a safe storage 11 nwg		
7.2.1	Requirements for stock Keep original product pac	rooms and containers ckages tightly closed during handling and stor	rage.	
7.3	Specific end use(s) Product for analytical use.			
SEC	ΓΙΟΝ 8: Exposure cor	ntrols/personal protection		
	FION 8: Exposure cor Control parameters	ntrols/personal protection		
SEC1 8.1	•	er (refill) Staub 1.25 A / 4 E mg/m³	CAS No.: 9004-34-6	
	Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted	er (refill) Staub 1.25 A / 4 E mg/m³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m³ average to a reference period of 8 hours, [STEL] Short-t		
	Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH:	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-t TWA 15 (total) / 5 (resp) mg/m ³		
	Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted OSHA:	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-t TWA 15 (total) / 5 (resp) mg/m ³	erm exposure limit related to a 15-minute period	
8.1 8.2	Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted OSHA: Chemical: indicator dy Exposure controls	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-t TWA 15 (total) / 5 (resp) mg/m ³	erm exposure limit related to a 15-minute period	
8.1 8.2 8.2.1	Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted OSHA: Chemical: indicator dy Exposure controls Not necessary. Respiratory protection	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-t TWA 15 (total) / 5 (resp) mg/m ³	erm exposure limit related to a 15-minute period	
8.1 8.2 8.2.1 8.2.2	Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted OSHA: Chemical: indicator dy Exposure controls Not necessary. Respiratory protection Not necessary. Hand protection	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-t TWA 15 (total) / 5 (resp) mg/m ³	erm exposure limit related to a 15-minute period	
8.1	Control parameters 5 m reels indicator pape Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted OSHA: Chemical: indicator dy Exposure controls Not necessary. Respiratory protection Not necessary. Hand protection Not necessary. Eye protection	er (refill) Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ average to a reference period of 8 hours, [STEL] Short-t TWA 15 (total) / 5 (resp) mg/m ³	erm exposure limit related to a 15-minute period	

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: US: DE/international: CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	0229 g date: 02.06.2020	Spec. ind. pH 5.5-9.0, reel, refill Date of issue: 06.09.2017		Page: 4/6
	TION 9: Physical and chemi		09.2017	
9.1	Information on basic physical		rties	
	5 m reels indicator paper (refill) Appearance: solid	Colour: colored	Odor: odorless	
9.2	Other information Relevant Properties of Substance Gro	oup		
SECT	ION 10: Stability and react	ivity		
10.1	Reactivity None			
10.2	Chemical stability No known instability.			
10.3	Possibility of hazardous react None.	tions		
10.4	Conditions to avoid Not known			
10.5	Incompatible materials Not known. Avoid contact with concentra	ated acids and oxidizing age	ents.	
10.6	Hazardous decomposition pro In the original package all parts/all reagon period under recommended conditions.		ed stored. Decompositions are not observed during the expiration	n

11: I oxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances.

5 m reels indicator paper (refill)

Chemical:	cellulose		CAS No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List: not li	sted
Exposure Routes:	inhalation, skin and/c	or eye contact	
Target Organs:	Eyes, skin, respirator	ry system	
Symptoms:	irritation eyes, skin, n	nucous membrane	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL	ves
Japan CSCL/PRTR:	not listed, Japan PDS	SCL: not listed	
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.In	ventory: KE-05339		
LD50 _{orl rat} :	>5000 mg/kg		
LC50ihl rat :	>5800 _{4h} mg/m ³		
LD50 _{drm rbt} :	>2000 mg/kg		
Chemical:	indicator dye(s)		CAS No.: -

TSCA Inventory: all listed, <1%

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances. 5 m reels indicator paper (refill)

CAS No.:

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	0229 g date: 02.06.2020	Spec. ind. pH 5.5-9.0, reel, refill Date of issue: 06.09.2017		
	Chemical: <i>cellulose</i> Water hazard class (DE): Storage class (VCI):	nwg	CAS No.: 9004-34-6	
	Chemical: indicator of Storage class (VCI).		CAS No.: -	
12.2	Persistence and degradability not necessary			
12.3	Bioaccumulative potential not necessary			
12.4	Mobility in soil not necessary			
12.5	Results of PBT and vPvB asses	ssment		
12.6	Other adverse effects no additional data available			
SECT	TION 13: Disposal considera	tions		
	lot necessary.			
13.1	Waste treatment methods GENERAL: Empty solids into municipal w	raste, empty liquids diluted into drains.		
SECT	ON 14: Transport informati	on		
1	4.1 - 14.4 Not necessary			
14.5	Environmental hazards			
14.6	Special precautions for user			

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gerahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

- 16.1 List of H and P phrases
- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases
- 16.2 **Training advice**
 - Regular safety training.

16.3 **Recommended restriction on use**

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany ACHEREY-NAGE DE/international: CH: FR: US: (MN> Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: ISO 9001 CERTIFIED Fax: +49 24 21 969-199

Version: M V 4.12.0 E-mail: info@mn-net.com

Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

+1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com





Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90229

Printing date: 02.06.2020

Spec. ind. pH 5.5-9.0, reel, refill Date of issue: 06.09.2017

Page: 6/6

None

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com