

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25270-25 SPADNS2 (Arsenic - Free) Fluoride Reagent AccuVac

Revision date: 03.01.2019

Product code: 2527025

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

25270-25 SPADNS2 (Arsenic - Free) Fluoride Reagent AccuVac

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

hydrochloric acid ... %

Signal word: Danger**Pictograms:****Hazard statements**

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25270-25 SPADNS2 (Arsenic - Free) Fluoride Reagent AccuVac

Revision date: 03.01.2019

Product code: 2527025

Page 2 of 8

Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7732-18-5	Water			80-90 %
	231-791-2			
-	hydrochloric acid ... %			10-20 %
	231-595-7	017-002-01-X		
	Skin Corr. 1B, STOT SE 3; H314 H335			
23647-14-5	SPADNS			< 0,1 %
	245-803-9			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Take off all contaminated clothing immediately.
Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
Consult a physician for severe cases.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
Consult a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25270-25 SPADNS2 (Arsenic - Free) Fluoride Reagent AccuVac

Revision date: 03.01.2019

Product code: 2527025

Page 3 of 8

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.
Gives off hydrogen by reaction with metals.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas.
Avoid contact with skin and eyes.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Reagent for analysis

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25270-25 SPADNS2 (Arsenic - Free) Fluoride Reagent AccuVac

Revision date: 03.01.2019

Product code: 2527025

Page 4 of 8

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	dark red
Odour:	stinging
pH-Value:	< 0,5

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	105 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flash point:	not applicable

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25270-25 SPADNS2 (Arsenic - Free) Fluoride Reagent AccuVac

Revision date: 03.01.2019

Product code: 2527025

Page 5 of 8

Lower explosion limits: not applicable
Upper explosion limits: not applicable
Ignition temperature: not applicable
Auto-ignition temperature
Solid: not applicable
Gas: not applicable
Decomposition temperature: not applicable

Oxidizing properties
not applicable

Vapour pressure: no data available

Density: 1,02 g/cm³

Bulk density: not applicable

Water solubility: miscible
(at 20 °C)**Solubility in other solvents**
no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: no data available

Evaporation rate: 0,64
(at 20 °C)

Solvent separation test: no data available

Solvent content: no data available

9.2. Other information

Solid content: no data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Bases, Metals

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Bases, Metals, Oxidizing agents

10.6. Hazardous decomposition products

Gives off hydrogen by reaction with metals.

Heating can release hazardous gases.

Further information

Stable under normal conditions.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25270-25 SPADNS2 (Arsenic - Free) Fluoride Reagent AccuVac

Revision date: 03.01.2019

Product code: 2527025

Page 6 of 8

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
-	hydrochloric acid ... %				
	dermal	LD50 mg/kg	>5010		

Irritation and corrosivity

The product causes irritation of eyes, skin and mucous membranes.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No aspiration toxicity classification

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
-	hydrochloric acid ... %					
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25270-25 SPADNS2 (Arsenic - Free) Fluoride Reagent AccuVac

Revision date: 03.01.2019

Product code: 2527025

Page 7 of 8

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 1789
14.2. UN proper shipping name: Hydrochloric acid
14.3. Transport hazard class(es): 8
14.4. Packing group: II

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)
Not tested

Marine transport (IMDG)

14.1. UN number: UN 1789
14.2. UN proper shipping name: Hydrochloric acid
14.3. Transport hazard class(es): 8
14.4. Packing group: II
Marine pollutant: --
EmS: F-A,S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1789
14.2. UN proper shipping name: Hydrochloric acid
14.3. Transport hazard class(es): 8
14.4. Packing group: II

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25270-25 SPADNS2 (Arsenic - Free) Fluoride Reagent AccuVac

Revision date: 03.01.2019

Product code: 2527025

Page 8 of 8

dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number 3316, Package group II, EMS Code: F-A, S-P
These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 03.01.2019

Safety datasheet sections which have been updated: 2, 7, 11, 15, 16

Revision: 22.04.2015

Safety datasheet sections which have been updated: 2

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)