

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931022	VISOCOLOR ECO Cyanide	Page: 1/10
Printing date: 02.06.2020	Date of issue: 06.06.2018	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

REF 931022  
 Product name VISOCOLOR ECO Cyanide

REACH Registration number(s): see SECTION 3.1/3.2 or  
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 19 mL CN-1  
 1 x 4 g CN-2  
 1 x 28 mL CN-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.

**Uses advised against**  
 not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY  
 Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: <http://www.mn-net.com/SDS>

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product



Signal word	DANGER
<b>Hazard identification</b>	<b>Hazard classes/categories</b>
EUH031	031 not defined
H314	Skin Corr. 1B
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H334	Resp. Sens. 1

### 2.1 Classification of the substance or mixture

19 mL CN-1

Do not need labelling as hazardous

Signal word -

No hazard class

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931022	VISOCOLOR ECO Cyanide	Page: 2/10
Printing date: 02.06.2020	Date of issue: 06.06.2018	

**4 g CN-2**



Signal word	DANGER
<b>Hazard identification</b>	<b>Hazard classes/categories</b>
EUH031 H314 H334	031 not defined Skin Corr. 1B Resp. Sens. 1

**28 mL CN-3**



Signal word	WARNING
<b>Hazard identification</b>	<b>Hazard classes/categories</b>
H315 H319	Skin Irrit. 2 Eye Irrit. 2

**2.2 Label elements**

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

**19 mL CN-1**

Do not need labelling as hazardous  
Signal word: -

**4 g CN-2**



GHS05 GHS08  
Signal word: DANGER

H314, H334  
Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P260sh, P280sh, P303+361+353, P305+351+338, P310  
Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

**28 mL CN-3**



GHS07

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931022

VISOCOLOR ECO Cyanide

Page: 3/10

Printing date: 02.06.2020

Date of issue: 06.06.2018

Signal word: WARNING

## 2.3 Other hazards

### Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. ---

### Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after impairments of health when ingested in small quantities. May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

### Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

### Other hazards

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 19 mL CN-1

Chemical: *citrate buffer solution*

CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed

KE No.: listed

Concentration: 10 - <25 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

#### 4 g CN-2

Chemical: *chloramine T*

CAS No.: 127-65-1

Classification: H302, Acute Tox. 4 oral, H314, Skin Corr. 1B, H334, Resp. Sens. 1, EUH031, 031 not defined

Formula:  $C_7H_7ClNNaO_2S$

Pseudonym: tosylchloramide sodium, Benzenesulfonamide, N-chloro-4-methyl-benzenesulfonamide, sodium salt

TSCA Inventory: listed

EC No.: 204-854-7

Indice No.: 616-010-00-9

RTECS: XT5616800

MFCD: 00000522

KE No.: 2000-3-1539

Concentration: 5 - <10 %

acc. CLP (GHS): H314, Skin Corr. 1B, H334, Resp. Sens. 1, EUH031, 031 not defined

#### 28 mL CN-3

Chemical: *sodium hydroxide solution (diluted < 2 %)*

CAS No.: 1310-73-2d

Classification: H314, Skin Corr. 1B

Formula:  $NaOH \cdot H_2O$

Pseudonym: diluted soda lye

TSCA Inventory: listed

REACH Reg. No.: 01-2119457892-27-xxxx

EC No.: 215-185-5

Indice No.: 011-002-00-6

RTECS: WB4900000

KE No.: KE-31487

Concentration: 1 - <2 %

acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931022

VISOCOLOR ECO Cyanide

Page: 4/10

Printing date: 02.06.2020

Date of issue: 06.06.2018

Chemical: *pyridine-4-carbonic acid (isonicotinic acid)* CAS No.: 55-22-1  
 Classification: H303, Acute Tox. 5 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2  
 Formula: C<sub>6</sub>H<sub>5</sub>NO<sub>2</sub>  
 Pseudonym: 4-Pyridinecarboxylic acid  
 TSCA Inventory: listed  
 EC No.: 200-228-2  
 RTECS: NS1103000 MFCD: 00006429  
 Concentration: 1 - <10 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *1,3-dimethylbarbituric acid* CAS No.: 769-42-6  
 Classification: H302, Acute Tox. 4 oral, H318, Eye Dam. 1  
 Formula: C<sub>6</sub>H<sub>8</sub>N<sub>2</sub>O<sub>3</sub>  
 Pseudonym: 1,3-dimethyl-2,4,6(1H,3H,5H)-pyrimidinetrione  
 TSCA Inventory: listed  
 EC No.: 212-211-7 MFCD: 00006675  
 Concentration: 3 - <20 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to a doctor, in a raised position if there are breathing difficulties.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

#### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

#### 4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

### 4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

### 4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931022

VISOCOLOR ECO Cyanide

Page: 5/10

Printing date: 02.06.2020

Date of issue: 06.06.2018

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible. ---

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

### 5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

### 6.2 Environmental precautions

not necessary

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals.

Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

see information in section 5.4 ---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

### 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 8A

Water hazard class (DE): 2

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 19 mL CN-1

Chemical: *citrate buffer solution*

CAS No.: -

#### 4 g CN-2

Chemical: *chloramine T*

CAS No.: 127-65-1

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931022

VISOCOLOR ECO Cyanide

Page: 6/10

Printing date: 02.06.2020

Date of issue: 06.06.2018

## 28 mL CN-3

Chemical: *sodium hydroxide solution*

CAS No.: 1310-73-2d

Chemical: *pyridine-4-carbonic acid (isonicotinic acid)*

CAS No.: 55-22-1

Chemical: *1,3-dimethylbarbituric acid*

CAS No.: 769-42-6

## 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

### 8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

### 8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 19 mL CN-1

Appearance: liquid  
pH:

Colour: colourless  
4-5

Odor: odorless

#### 4 g CN-2

Appearance: powder (solid)  
pH:

Colour: colourless  
5-7

Odor: chloric

#### 28 mL CN-3

Appearance: liquid  
Solubility in water:

Colour: yellow  
0-100 %

Odor: odorless

### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

#### Relevant Properties of Substance Group

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no further data available.

### 10.2 Chemical stability

No known instability.

### 10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

### 10.4 Conditions to avoid

Not necessary. ---

### 10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931022

VISOCOLOR ECO Cyanide

Page: 7/10

Printing date: 02.06.2020

Date of issue: 06.06.2018

## 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 19 mL CN-1

Chemical: citrate buffer solution  
 TSCA Inventory: all listed  
 Korea Exist.Chem.Inventory: listed

CAS No.: -

#### 4 g CN-2

Chemical: chloramine T  
 TSCA Inventory: listed  
 Australia NICNAS: not listed  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: not listed  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: 2000-3-1539  
 LD50<sub>orl rat</sub>: ~1000 mg/kg

CAS No.: 127-65-1

California Proposition 65 List: not listed  
 Canada CEPA 1999: DSL Yes

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### 28 mL CN-3

Chemical: sodium hydroxide solution  
 TSCA Inventory: listed  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system  
 Symptoms: -  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: listed ≥1,0%/≥1,0% SDS required  
 Korea Exist.Chem.Inventory: KE-31487  
 LD50<sub>orl rat</sub>: [< 1%] > 50 g/kg  
 LD50<sub>orl mus</sub>: [< 1%] > 4 g/kg

CAS No.: 1310-73-2d

California Proposition 65 List: not listed

Chemical: pyridine-4-carbonic acid (isonicotinic acid)  
 TSCA Inventory: listed  
 LD50<sub>orl rat</sub>: 5000 mg/kg

CAS No.: 55-22-1

Chemical: 1,3-dimethylbarbituric acid  
 TSCA Inventory: listed  
 LD50<sub>orl rat</sub>: 1780 mg/kg

CAS No.: 769-42-6

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 19 mL CN-1

Chemical: citrate buffer solution  
 Water hazard class (DE): 0  
 Storage class (VCI): 12

CAS No.: -

#### 4 g CN-2

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931022 VISOCOLOR ECO Cyanide Page: 8/10  
 Printing date: 02.06.2020 Date of issue: 06.06.2018

Chemical: *chloramine T* CAS No.: 127-65-1  
 Avoid contact of substance/mixture to environment.  
 Water hazard class (DE): 2 WGK No.: 0640  
 Storage class (VCI): 8 A

**28 mL CN-3**

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2d  
 LC50<sub>leuciscus idus/96h</sub>: 35-189 mg/L  
 LC50<sub>fish/96h</sub>: 45.4 mg/L  
 EC50<sub>daphnia/48h</sub>: >100 mg/L  
 Water hazard class (DE): nwg WGK No.: 0142  
 Storage class (VCI): 12-13

Chemical: *pyridine-4-carbonic acid (isonicotinic acid)* CAS No.: 55-22-1  
 Water hazard class (DE): 1  
 Storage class (VCI): 12-13

Chemical: *1,3-dimethylbarbituric acid* CAS No.: 769-42-6  
 Water hazard class (DE): 2  
 Storage class (VCI): 12-13

**12.2 Persistence and degradability**

not necessary

**12.3 Bioaccumulative potential**

not necessary

**12.4 Mobility in soil**

not necessary

**12.5 Results of PBT and vPvB assessment**

no data available

**12.6 Other adverse effects**

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

**13.1 Waste treatment methods**

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

## SECTION 14: Transport information

**14.1 UN number: 3316 14.2 UN proper shipping name: Chemical Kit**

**14.3 Class: 9 14.4 Packing group: II**

*Road transport*

Classification code: M11 Tunnel restriction code: E  
 Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

*Air transport*

PAX: 960 max. weight PAX: 10 KG  
 CAO: 960 max. weight CAO: 10 KG

*Maritime transport*

EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

UN No.: (see below) class 8 II, **Excepted Quantities** ( $\leq 30 \text{ mL} / \Sigma \leq 500 \text{ mL}$ ) = ADR/ IATA E2

or

**14.1 UN number: 3263 14.2 UN proper shipping name: Corrosive solid, basic, organic, n.o.s. (chloramine T mixture)**

**14.3 Class: 8 14.4 Packing group: II**

*Road transport*

Classification code: C8 Tunnel restriction code: E  
 Limited Quantity: 1 Kg  
 Excepted Quantity: E 2

*Air transport*

PAX: 859 max. weight PAX: 15 Kg



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931022

VISOCOLOR ECO Cyanide

Page: 9/10

Printing date: 02.06.2020

Date of issue: 06.06.2018

CAO: 863 max. weight CAO: 50 Kg  
*Maritime transport*  
 EmS: F-A, S-B Storage category: B

## 14.5 Environmental hazards

none, contains only small quantities of hazardous substances

## 14.6 Special precautions for user

not necessary

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013  
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC  
 TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011  
 MN Leaflet/User manual, also see [www.mn-net.com](http://www.mn-net.com)  
 Look for your country-specific regulations.

### 15.2 Chemical safety assessment

not necessary for these small amounts ---

## SECTION 16: Other information

### 16.1 List of H and P phrases

#### 16.1.1 List of relevant H phrases

H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 EUH031 Contact with acids liberates toxic gas.

#### 16.1.2 List of relevant P phrases

P260D Do not breathe vapours.  
 P260sh Do not breathe dust/vapours.  
 P261sh Avoid breathing dust/vapours.  
 P280sh Wear protective gloves/eye protection.  
 P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

### 16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

### 16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting

[www.mn-net.com](http://www.mn-net.com)

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931022

VISOCOLOR ECO Cyanide

Page: 10/10

Printing date: 02.06.2020

Date of issue: 06.06.2018

from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU