



Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

14399-01 EDTA, 0.8M crtg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

tetrasodium ethylene diamine tetraacetate

Signal word: Danger

Pictograms:



Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if





according to Regulation (EC) No 1907/2006

14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 2 of 7

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

P310

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
7732-18-5	5 Water					
	231-791-2					
64-02-8	tetrasodium ethylene diamir	ne tetraacetate		20-30 %		
	200-573-9	607-428-00-2				
	Acute Tox. 4, Eye Dam. 1; H302 H318					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.





Be Right"

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 3 of 7

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Do not breathe vapours or spray mist.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.





according to Regulation (EC) No 1907/2006

14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 4 of 7

Respiratory protection

Provide adequate ventilation.

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C):

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

no data available

not applicable

not applicable

not applicable

not applicable

not applicable

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:no data availableDensity (at 20 °C):1,160 g/cm³Bulk density:not applicableWater solubility:soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient:

Viscosity / dynamic:

no data available

Viscosity / kinematic:

no data available

Flow time:

no data available

Vapour density:

no data available

Evaporation rate:

no data available





Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 5 of 7

Solvent separation test:

Solvent content:

no data available
no data available

9.2. Other information

Solid content: not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Decomposition products: Carbon dioxide (CO2), Carbon monoxide,

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

Based on available data, the classification criteria are not met.

No data is available on the product itself.

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
64-02-8	tetrasodium ethylene dian	etrasodium ethylene diamine tetraacetate						
	oral	LD50 1658 mg/kg	rat					

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.





according to Regulation (EC) No 1907/2006

14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 6 of 7

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)



HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

14399-01 EDTA, 0.8M crtg

Revision date: 03.01.2019 Product code: 1439901 Page 7 of 7

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 03.01.2019

Safety datasheet sections which have been updated: 11, 15

Revision: 08.12.2016

Safety datasheet sections which have been updated: 2, 3, 4, 11

Revision: 27.08.2015

Safety datasheet sections which have been updated: 3

Revision: 26.05.2015

Safety datasheet sections which have been updated: 2, 11 Safety datasheet sections which have been updated: 15

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to Regulation (EC) No 1907/2006

2449-32 Sulfuric Acid, 5.25 N

Revision date: 31.10.2018 Product code: 244932 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2449-32 Sulfuric Acid, 5.25 N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sulphuric acid ... %

Signal word: Danger

Pictograms:





according to Regulation (EC) No 1907/2006

2449-32 Sulfuric Acid, 5.25 N

Revision date: 31.10.2018 Product code: 244932 Page 2 of 8

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor.

P362 Take off contaminated clothing.

P390 Absorb spillage to prevent material damage.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
7732-18-5	Water					
	231-791-2					
7664-93-9	sulphuric acid %			20-30 %		
	231-639-5	016-020-00-8				
	Skin Corr. 1A; H314					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse immediately with plenty of water for at least 15 minutes. Call a physician immediately.





according to Regulation (EC) No 1907/2006

2449-32 Sulfuric Acid, 5.25 N

Revision date: 31.10.2018 Product code: 244932 Page 3 of 8

After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.

Never give anything by mouth to an unconscious person.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Gives off hydrogen by reaction with metals. Reacts violently with water.

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Do not breathe vapours or spray mist. Use only in well-ventilated areas.

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep away from heat. Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

Protect against Bases, Oxidizing agents, Metals





Safety Data Sheet

according to Regulation (EC) No 1907/2006

2449-32 Sulfuric Acid, 5.25 N

Revision date: 31.10.2018 Product code: 244932 Page 4 of 8

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): < 0,5

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Plash point:

not applicable
not applicable
not applicable
not applicable
not applicable

Flammability

Solid: not applicable
Gas: not applicable



according to Regulation (EC) No 1907/2006

2449-32 Sulfuric Acid, 5.25 N

Revision date: 31.10.2018 Product code: 244932 Page 5 of 8

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Inot applicable
Inot applicable
Inot applicable
Inot applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not applicable

Oxidizing properties

not applicable

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

1,047 g/cm³

not applicable

Water solubility:

soluble

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: not applicable Viscosity / kinematic: not applicable Flow time: not applicable Vapour density: no data available Evaporation rate: no data available no data available Solvent separation test: Solvent content: no data available

9.2. Other information

Solid content: not applicable

Corrosive in contact with metals

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Strong bases, Oxidizing agents

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Decomposes on heating.

10.5. Incompatible materials

Bases, Oxidizing agents

10.6. Hazardous decomposition products

Gives off hydrogen by reaction with metals.





according to Regulation (EC) No 1907/2006

2449-32 Sulfuric Acid, 5.25 N

Revision date: 31.10.2018 Product code: 244932 Page 6 of 8

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

Irritation and corrosivity

Causes skin and eye burns.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

sulphuric acid ... %:

LD50/oral/rat = 2140 mg/kg

LC50/inhalation/1h/rat = 347ppm/1hr

Practical experience

Other observations

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products





Safety Data Sheet

according to Regulation (EC) No 1907/2006

2449-32 Sulfuric Acid, 5.25 N

Revision date: 31.10.2018 Product code: 244932 Page 7 of 8

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals: laboratory chemicals, consisting of or containing hazardous substances.

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3264

14.2. UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (<45% Sulphuric acid solution)

14.3. Transport hazard class(es): 8
14.4. Packing group: III

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

<u>14.1. UN number:</u> UN 3264

14.2. UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (<45% Sulphuric acid solution)

14.3. Transport hazard class(es):814.4. Packing group:IIIMarine pollutant:--

EmS: F-A,S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3264

14.2. UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (<45% Sulphuric acid solution)

14.3. Transport hazard class(es): 8
14.4. Packing group: III

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

2449-32 Sulfuric Acid, 5.25 N

Revision date: 31.10.2018 Product code: 244932 Page 8 of 8

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 31.10.2018

Safety datasheet sections which have been updated: 2, 15, 16

Revision: 27.05.2015

Safety datasheet sections which have been updated: 2, 4, 11 Safety datasheet sections which have been updated: 11

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

282-32H Potassium Hydroxide Standard Solution 8.0N

Revision date: 23.04.2018 Product code: 28232H Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

282-32H Potassium Hydroxide Standard Solution 8.0N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

potassium hydroxide; caustic potash

Signal word: Danger

Pictograms:







Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

282-32H Potassium Hydroxide Standard Solution 8.0N

Revision date: 23.04.2018 Product code: 28232H Page 2 of 9

Hazard statements

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P234 Keep only in original packaging.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity			
	EC No	Index No	REACH No				
	Classification according to Regu	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
7732-18-5	Water			55-65 %			
	231-791-2						
1310-58-3	potassium hydroxide; caustic po	tash		35-45 %			
	215-181-3	019-002-00-8					
	Acute Tox. 4, Skin Corr. 1A; H302 H314						

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse immediately with plenty of water for at least 15 minutes. Call a physician immediately.





according to Regulation (EC) No 1907/2006

282-32H Potassium Hydroxide Standard Solution 8.0N

Revision date: 23.04.2018 Product code: 28232H Page 3 of 9

After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.

Never give anything by mouth to an unconscious person.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Do not breathe vapours or spray mist. Use only in well-ventilated areas.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep away from heat. Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

Do not store near acids.

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.





according to Regulation (EC) No 1907/2006

282-32H Potassium Hydroxide Standard Solution 8.0N

Revision date: 23.04.2018 Product code: 28232H Page 4 of 9

7.3. Specific end use(s)

Reagent for analysis, Standard solution

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas.

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: irritating

pH-Value (at 20 °C):

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

no data available

no data available

no data available

pour point:

no data available

not applicable





according to Regulation (EC) No 1907/2006

282-32H Potassium Hydroxide Standard Solution 8.0N

Revision date: 23.04.2018 Product code: 28232H Page 5 of 9

no data available

Flash point: not applicable

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure: 450,5 hPa

(at 100 °C)

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

1,3 g/cm³

no data available

water solubility:

soluble

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: Evaporation rate: no data available no data available Solvent separation test: no data available Solvent content:

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Acids, Metals, Organic peroxides Keep away from combustible material.



according to Regulation (EC) No 1907/2006

282-32H Potassium Hydroxide Standard Solution 8.0N

Revision date: 23.04.2018 Product code: 28232H Page 6 of 9

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Decomposes on heating.

10.5. Incompatible materials

Acids, Alcohols, Metals, Peroxides

10.6. Hazardous decomposition products

Contact with metals liberates hydrogen gas.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

ATEmix calculated

ATE (oral) 964,9 mg/kg

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
1310-58-3	potassium hydroxide; cau	ootassium hydroxide; caustic potash						
	oral	LD50 333 mg/kg	Rat	Merck				

Irritation and corrosivity

Causes burns.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

Harmful by ingestion. Gastrointestinal discomfort, Vomiting

Practical experience

Observations relevant to classification

None known.

Other observations

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information





Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

282-32H Potassium Hydroxide Standard Solution 8.0N

Revision date: 23.04.2018 Product code: 28232H Page 7 of 9

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name							
	Aquatic toxicity Dose [h] [d] Species Source Method						Method	
1310-58-3	potassium hydroxide; caus	potassium hydroxide; caustic potash						
	Acute fish toxicity	LC50 8	30 mg/l	96 h	Gambusia affinis	IUCLID		

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals: laboratory chemicals, consisting of or containing hazardous substances.

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN1814

14.2. UN proper shipping name: Potassium hydroxide solution

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



according to Regulation (EC) No 1907/2006

282-32H Potassium Hydroxide Standard Solution 8.0N

Revision date: 23.04.2018 Product code: 28232H Page 8 of 9



Classification code: Limited quantity: 1 L Excepted quantity: E2 Transport category: 2 Hazard No: 80 Tunnel restriction code: Ε

Other applicable information (land transport) Excepted Quantities: E2

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

UN1814 14.1. UN number:

POTASSIUM HYDROXIDE SOLUTION 14.2. UN proper shipping name:

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8



Special Provisions: Limited quantity: 1 L Excepted quantity: EmS: F-A. S-B

Other applicable information (marine transport)

Excepted Quantities: E2

Air transport (ICAO-TI/IATA-DGR)

UN1814 14.1. UN number:

14.2. UN proper shipping name: POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 8



Special Provisions: A3 A803 Limited quantity Passenger: 0.5 L Passenger LQ: Y840 Excepted quantity: F2

IATA-packing instructions - Passenger: 851 IATA-max. quantity - Passenger: 1 L IATA-packing instructions - Cargo: 855 IATA-max. quantity - Cargo: 30 L

Other applicable information (air transport)

Excepted Quantities: E2



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

282-32H Potassium Hydroxide Standard Solution 8.0N

Revision date: 23.04.2018 Product code: 28232H Page 9 of 9

Passenger-LQ: Y840

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

Danger releasing substance: Not relevant

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 23.04.2018

Safety datasheet sections which have been updated: 3, 12, 13, 16

Revision: 24.09.2015

This data sheet contains changes from the previous version in section(s): 11

Revision: 19.05.2015

This data sheet contains changes from the previous version in section(s): 2, 4, 11

Revision: 23.01.2013

This data sheet contains changes from the previous version in section(s): 4,6,7,8,911,12,14,

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1					
Classification	Classification procedure					
Met. Corr. 1; H290	On basis of test data					
Acute Tox. 4; H302	Calculation method					
Skin Corr. 1A; H314	Calculation method					
Eye Dam. 1; H318	Calculation method					

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

424-32 Hardness 1 Buffer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:
Causes skin irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

2-amino-2-methylpropanol

Signal word: Warning

Pictograms:





Safety Data Sheet

according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 2 of 9

Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local regulation.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according t	o Regulation (EC) No. 1272/2008 [CLP]		
124-68-5	2-amino-2-methylpropand	ol		50-60 %	
	204-709-8	603-070-00-6			
	Eye Irrit. 2, Skin Irrit. 2, A	quatic Chronic 3; H319 H315 H412			
7732-18-5	Water			35-45 %	
	231-791-2				
64-19-7	acetic acid %				
	200-580-7	607-002-00-6			
	Flam. Liq. 3, Skin Corr. 1A; H226 H314				
14402-88-1	Diaminoethane tetra-acetic acid Magnesium-disodium salt				
	238-372-3				
		•	•		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.





Safety Data Sheet

according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 3 of 9

Take off all contaminated clothing immediately.

If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

In the event of fire, wear self-contained breathing apparatus.

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

Advice on protection against fire and explosion

None known.





Safety Data Sheet

according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 4 of 9

See also section 5

Further information on handling

Observe label precautions.

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

Do not store together with Oxidizing agents

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	EU
		15	37		STEL (15 min)	EU

Additional advice on limit values

None known

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Should not be released into the environment.





according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellow
Odour: vinegar-like

pH-Value (at 20 °C): 10 (2 % solution)

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Pour point:

Ino data available

no data available

Flash point:

not applicable

no data available

>97,2 °C

Flammability

Solid: no data available
Gas: no data available

Explosive properties

no data available

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:no data availableVapour pressure:no data availableDensity (at 20 °C):1,033 g/cm³Bulk density:not applicableWater solubility:completely soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient:

Viscosity / dynamic:

No data available

Viscosity / kinematic:

No data available

Flow time:

No data available

vapour density:

Evaporation rate:

0,36

(at 20 °C)

Solvent separation test: no data available





according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 6 of 9

Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Hazard: Oxidizing agents

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
124-68-5	2-amino-2-methylpropanol						
	oral	LD50 mg/kg	2900	Rat	IUCLID		
	dermal	LD50 mg/kg	> 2000	Rabbit	IUCLID		
64-19-7	acetic acid %						
	oral	LD50 mg/kg	3310	Rat	GESTIS		

Irritation and corrosivity

Irritating to eyes and skin.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification



according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 7 of 9

Specific effects in experiment on an animal

No data is available on the product itself.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
124-68-5	2-amino-2-methylpropanol							
	Acute fish toxicity	LC50	190 mg/l	96 h	Lepomis macrochirus	IUCLID		
	Acute algae toxicity	ErC50	520 mg/l		Desmodesmus subspicatus			
64-19-7	acetic acid %							
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	Janssen et al		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name			
124-68-5	2-amino-2-methylpropanol	-0,74		
64-19-7	acetic acid %	-0,17		

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.





according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 8 of 9

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 23.04.2018

Safety datasheet sections which have been updated: 8, 11, 16

Revision: 23.04.2015

Safety datasheet sections which have been updated: 2

Revision: 25.02.2015

Safety datasheet sections which have been updated: 2, 10

Revision: 06.11.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.





according to Regulation (EC) No 1907/2006

424-32 Hardness 1 Buffer

Revision date: 23.04.2018 Product code: 42432 Page 9 of 9

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

928-99 ManVer 2

Revision date: 06.02.2017 Product code: 92899 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

928-99 ManVer 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Respiratory or skin sensitisation: Skin Sens. 1

Carcinogenicity: Carc. 2

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements: Harmful if swallowed.

May cause an allergic skin reaction. Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

hydroxylammonium chloride; hydroxylamine hydrochloride

Signal word: Warning

Pictograms:







Safety Data Sheet

according to Regulation (EC) No 1907/2006

928-99 ManVer 2

Revision date: 06.02.2017 Product code: 92899 Page 2 of 8

Hazard statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regula	•			
7647-14-5	Sodium chloride				
	231-598-3				
5470-11-1	hydroxylammonium chloride; hydroxylamine hydrochloride				
	226-798-2	612-123-00-2			
	Met. Corr. 1, Carc. 2, Acute Tox. 4 1, Aquatic Acute 1; H290 H351 H3				
7631-86-9	Silica gel		1-5 %		
	231-545-4				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air. Consult a physician for severe cases.

After contact with skin

Wash off with soap and water. If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.



Be Right"

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

928-99 ManVer 2

Revision date: 06.02.2017 Product code: 92899 Page 3 of 8

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Show this safety data sheet to the doctor in attendance.

Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Vomiting Spasm, Diarrhoea, Circulatory collapse

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

The product itself does not burn.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

Sodium oxides, Hydrogen chloride gas, nitrogen oxides (NOx)

5.3. Advice for firefighters

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Do not breathe vapours, mist or gas. Ensure adequate ventilation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Use only in well-ventilated areas. Do not breathe vapours/dust.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities





Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

928-99 ManVer 2

Revision date: 06.02.2017 Product code: 92899 Page 4 of 8

Requirements for storage rooms and vessels

Store at room temperature in the original container.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and after work.

General industrial hygiene practice.

Ensure that eye flushing systems and safety showers are located close to the working place.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Avoid contact with skin and eyes.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: powder Colour: red Odour: none

pH-Value (at 20 °C): 3,3 (5 % solution)

Changes in the physical state

Melting point: 151 °C
Initial boiling point and boiling range: not applicable
Sublimation point: not applicable
Softening point: not applicable
Pour point: not applicable
Flash point: not applicable



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

928-99	ManVer	2
--------	--------	---

Revision date: 06.02.2017 Product code: 92899 Page 5 of 8

Sustaining combustion: No data available

Flammability

Solid: no data available
Gas: no data available

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

not applicable

Vapour pressure:no data availableDensity (at 20 °C):2,12 g/cm³Bulk density:no data availableWater solubility:soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: not applicable Viscosity / dynamic: not applicable Viscosity / kinematic: not applicable Flow time: not applicable Vapour density: not applicable Evaporation rate: not applicable Solvent separation test: not applicable Solvent content: not applicable

9.2. Other information

Solid content: no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

None known.



according to Regulation (EC) No 1907/2006

928-99 ManVer 2

Revision date: 06.02.2017 Product code: 92899 Page 6 of 8

10.6. Hazardous decomposition products

Sodium oxides, Hydrogen chloride gas, nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

ATEmix calculated

ATE (oral) 1586,1 mg/kg

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
7647-14-5	Sodium chloride								
	oral	LD50 mg/kg	3000	Ratte					
	dermal	LD50 mg/kg	>10000	Kaninchen					
5470-11-1	hydroxylammonium chloride; hydroxylamine hydrochloride								
	oral	LD50 mg/kg	141	rat					
	dermal	ATE mg/kg	1100						

Irritation and corrosivity

No known effect.

Sensitising effects

May cause sensitisation by skin contact. (hydroxylammonium chloride; hydroxylamine hydrochloride)

Carcinogenic/mutagenic/toxic effects for reproduction

H351 - Suspected of causing cancer. (hydroxylammonium chloride; hydroxylamine hydrochloride)

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

928-99 ManVer 2

Revision date: 06.02.2017 Product code: 92899 Page 7 of 8

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7647-14-5	Sodium chloride							
	Acute fish toxicity LC50 7650 96 h Pimephales promelas mg/l							
	Acute crustacea toxicity	EC50 mg/l	1000	48 h	Daphnia magna			
5470-11-1	hydroxylammonium chloride; hydroxylamine hydrochloride							
	Acute fish toxicity LC50 1-10 mg/l				Leuciscus idus (Golden orfe)			

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Contaminated packaging

Dispose of as unused product.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available





according to Regulation (EC) No 1907/2006

928-99 ManVer 2

Revision date: 06.02.2017 Product code: 92899 Page 8 of 8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 6.02.2017

Safety datasheet sections which have been updated: 2, 11

Revision: 22.04.2015

Safety datasheet sections which have been updated: 2 Safety datasheet sections which have been updated: 2, 3, 15

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



Be Right™

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

947-99 CalVer 2

Revision date: 23.04.2018 Product code: 94799 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

947-99 CalVer 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

947-99 CalVer 2

Revision date: 23.04.2018 Product code: 94799 Page 2 of 7

Hazardous components

CAS No	Chemical name							
	EC No	Index No	Index No REACH No					
	Classification according to Regulation (EC) No. 1272/2008 [CLP]							
7647-14-5	Sodium chloride							
	231-598-3							
63451-35-4	Hydroxynaphthol							
	264-197-7							
	Carc. 2, STOT SE 3; H351 H335							

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air. Consult a physician for severe cases.

After contact with skin

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

If conscious, drink plenty of water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures



Be Right"

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

947-99 CalVer 2

Revision date: 23.04.2018 Product code: 94799 Page 3 of 7

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

Avoid dust formation.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream. Wash hands before breaks and at the end of workday. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

Environmental exposure controls

Should not be released into the environment.



according to Regulation (EC) No 1907/2006

947-99 CalVer 2

Revision date: 23.04.2018 Product code: 94799 Page 4 of 7

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: powder
Colour: dark blue
Odour: amine-like

pH-Value (at 20 °C): 7,9 (5 % solution)

Changes in the physical state

Melting point:274 °CInitial boiling point and boiling range:not applicableSublimation point:no data availableSoftening point:not applicablePour point:not applicableFlash point:not applicable

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not applicable

Oxidizing properties

not applicable

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

Water solubility:

(at 20 °C)

soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: not applicable Viscosity / dynamic: not applicable Viscosity / kinematic: not applicable not applicable Flow time: Vapour density: not applicable Evaporation rate: not applicable Solvent separation test: not applicable Solvent content: not applicable

9.2. Other information





Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

947-99 CalVer 2

Revision date: 23.04.2018 Product code: 94799 Page 5 of 7

Solid content: no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None known.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

LD50/oral/rat = 3000 mg/kg

CAS No	Chemical name	Chemical name								
	Exposure route	Dose		Species	Source	Method				
7647-14-5	Sodium chloride	Sodium chloride								
	oral	LD50 mg/kg	3000	Ratte						
	dermal	LD50 mg/kg	>10000	Kaninchen						

Irritation and corrosivity

No known effect.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

No known effect.

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

rabbit eye: 100mg/24hr Mild eye irritation rabbit skin: 500mg/24hr Mild skin irritation

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information





according to Regulation (EC) No 1907/2006

947-99 CalVer 2

Revision date: 23.04.2018 Product code: 94799 Page 6 of 7

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name							
	Aquatic toxicity Dose			[h] [d]	Species	Source	Method	
7647-14-5	Sodium chloride							
	Acute fish toxicity	LC50 mg/l	7650	96 h	Pimephales promelas			
	Acute crustacea toxicity	EC50 mg/l	1000	48 h	Daphnia magna			

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)



Be Right[™]

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

947-99 CalVer 2

Revision date: 23.04.2018 Product code: 94799 Page 7 of 7

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

The product does not need to be labelled in accordance with EC directives or respective national laws.

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 23.04.2018

Safety datasheet sections which have been updated: 8, 11 - 13

Revision: 24.05.2017

Safety datasheet sections which have been updated: 2, 3, 4, 8, 11

Revision: 05.08.2015

Safety datasheet sections which have been updated: 2, 4, 11

Revision: 26.01.2015

Safety datasheet sections which have been updated: 2

Relevant H and EUH statements (number and full text)

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)