

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26054-00 NitraVer X, Test 'N Tube Reagent

Revision date: 15.08.2018

Product code: 2605400

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

26054-00 NitraVer X, Test 'N Tube Reagent

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

sulphuric acid ... %

Signal word: Danger**Pictograms:**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26054-00 NitraVer X, Test 'N Tube Reagent

Revision date: 15.08.2018

Product code: 2605400

Page 2 of 9

Hazard statements

- H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P390 Absorb spillage to prevent material damage.
P501 Dispose of contents/container to Disposal.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7664-93-9	sulphuric acid ... %			80-90 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
7732-18-5	Water			10-20 %
	231-791-2			
1309-64-4	antimony trioxide			< 0,5 %
	215-175-0	051-005-00-X		
	Carc. 2; H351			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures
General information

- Take off all contaminated clothing immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. Consult a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26054-00 NitraVer X, Test 'N Tube Reagent

Revision date: 15.08.2018

Product code: 2605400

Page 3 of 9

Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse immediately with plenty of water for at least 15 minutes. Call a physician immediately.

After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.
Never give anything by mouth to an unconscious person.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product itself does not burn. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
ABC powder

Unsuitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.
Gives off hydrogen by reaction with metals. Reacts violently with water.
Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.
In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

None known.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.
Do not breathe vapours or spray mist. Use only in well-ventilated areas.
General hygiene considerations

Further information on handling

Observe label precautions.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26054-00 NitraVer X, Test 'N Tube Reagent

Revision date: 15.08.2018

Product code: 2605400

Page 4 of 9

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep away from heat. Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

Protect against Bases, Oxidizing agents, Metals

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
-	Antimony and compounds except stibine (as Sb)	-	0.5		TWA (8 h)	WEL
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls**Appropriate engineering controls**

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Ensure that eyewash stations and safety showers are close to the workstation location.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas. Provide appropriate exhaust ventilation at machinery.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: liquid, oily

Colour: colourless

Odour: irritating

pH-Value (at 20 °C): < 1

Changes in the physical state

Melting point: no data available

Initial boiling point and boiling range: 210 °C

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26054-00 NitraVer X, Test 'N Tube Reagent

Revision date: 15.08.2018

Product code: 2605400

Page 5 of 9

Sublimation point:	no data available
Softening point:	no data available
Pour point:	not applicable
:	no data available
Flash point:	not applicable

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	no data available
----------------------------	-------------------

Oxidizing properties

not applicable

Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,78 g/cm ³
Bulk density:	not applicable
Water solubility:	not applicable

Solubility in other solvents

no data available

Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

9.2. Other information

Solid content:	no data available
Aluminium	

SECTION 10: Stability and reactivity**10.1. Reactivity**

Risk of violent reaction.: acetic acid, Oxidizing agents, Reducing agents,
Incompatible materials to avoid: Metals

10.2. Chemical stability

Stable under recommended storage conditions.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26054-00 NitraVer X, Test 'N Tube Reagent

Revision date: 15.08.2018

Product code: 2605400

Page 6 of 9

10.3. Possibility of hazardous reactions

Contact with metals liberates hydrogen gas.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Decomposes on heating.

10.5. Incompatible materials

Bases, Oxidizing agents

10.6. Hazardous decomposition products

Sulphur oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

Also harmful: danger of serious damage to health by prolonged exposure through inhalation. Effects of excessive exposures may include: Cough

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1309-64-4	antimony trioxide				
	oral	LD50 > 34600 mg/kg	Rat	IUCLID	

Irritation and corrosivity

Causes severe burns.

Sensitising effects

No data is available on the product itself.

Carcinogenic/mutagenic/toxic effects for reproduction

IARC: (International Agency for Research on Cancer) 1

IARC: (International Agency for Research on Cancer) 2B

STOT-single exposure

No known effect.

STOT-repeated exposure

Inhalation of vapours is irritating to the respiratory system, may cause throat pain and cough.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

sulphuric acid ... %: LD50/oral/rat = 2140 mg/kg

Additional information on tests

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26054-00 NitraVer X, Test 'N Tube Reagent

Revision date: 15.08.2018

Product code: 2605400

Page 7 of 9

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1309-64-4	antimony trioxide					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Danio rerio		
	Acute algae toxicity	ErC50 67 mg/l	72 h	Selenastrum cparicornutum		
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna		

12.2. Persistence and degradability

no data available

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN1830
<u>14.2. UN proper shipping name:</u>	SULPHURIC ACID with more than 51 % acid
<u>14.3. Transport hazard class(es):</u>	8
<u>14.4. Packing group:</u>	II
Hazard label:	8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26054-00 NitraVer X, Test 'N Tube Reagent

Revision date: 15.08.2018

Product code: 2605400

Page 8 of 9



Classification code: C1
Limited quantity: 1 L
Transport category: 2
Hazard No: 80
Tunnel restriction code: E

Other applicable information (land transport)

Excepted Quantities: E2

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN1830
14.2. UN proper shipping name: SULPHURIC ACID with more than 51 % acid
14.3. Transport hazard class(es): 8
14.4. Packing group: II
Hazard label: 8



Marine pollutant: --
Special Provisions: -
Limited quantity: 1 L
EmS: F-A, S-B

Other applicable information (marine transport)

Excepted Quantities: E2

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN1830
14.2. UN proper shipping name: SULPHURIC ACID with more than 51 % acid
14.3. Transport hazard class(es): 8
14.4. Packing group: II
Hazard label: 8



Limited quantity Passenger: 0.5 L
IATA-packing instructions - Passenger: 851
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

Other applicable information (air transport)

Excepted Quantities: E2

Passenger-LQ: Y840

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26054-00 NitraVer X, Test 'N Tube Reagent

Revision date: 15.08.2018

Product code: 2605400

Page 9 of 9

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number 3316, Package group II, EMS Code: F-A, S-P
These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): no data available

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 15.08.2018

Safety datasheet sections which have been updated: 2, 4, 7, 9, 15

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H351 Suspected of causing cancer.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671846 Totan Nitrogen Persulfate Reagent PP

Revision date: 06.03.2017

Product code: 2671846

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2671846 Totan Nitrogen Persulfate Reagent PP
CAS No: 7727-21-1
Index No: 016-061-00-1
EC No: 231-781-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Oxidising solid: Ox. Sol. 3

Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Skin corrosion/irritation: Skin Irrit. 2

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May intensify fire; oxidiser.

Harmful if swallowed.

Causes serious eye irritation.

May cause respiratory irritation.

Causes skin irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

2.2. Label elements

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671846 Totan Nitrogen Persulfate Reagent PP

Revision date: 06.03.2017

Product code: 2671846

Page 2 of 9

Regulation (EC) No. 1272/2008

Hazard components for labelling

dipotassium peroxodisulphate; potassium persulphate

Signal word: Danger

Pictograms:



Hazard statements

H272 May intensify fire; oxidiser.
 H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7727-21-1	dipotassium peroxodisulphate; potassium persulphate			100 %
	231-781-8	016-061-00-1		
	Ox. Sol. 3, Acute Tox. 4, Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1; H272 H302 H319 H335 H315 H334 H317			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671846 Totan Nitrogen Persulfate Reagent PP

Revision date: 06.03.2017

Product code: 2671846

Page 3 of 9

After inhalation

Move to fresh air. Give oxygen or artificial respiration if needed. Consult a physician.

After contact with skin

Wash off immediately with plenty of water. If symptoms persist, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions, sensitising effects, irritant effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media**Suitable extinguishing media**

Water

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Oxidising

Keep away from combustible material. Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling**Advice on safe handling**

Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosionStrong oxidizing agents Reacts with the following substances: Reducing agents
Keep away from combustible materials.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671846 Totan Nitrogen Persulfate Reagent PP

Revision date: 06.03.2017

Product code: 2671846

Page 4 of 9

Further information on handling

This information is not available.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

Keep away from combustible material.

Further information on storage conditions

This information is not available.

7.3. Specific end use(s)

Water analysis

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7727-21-1	(OLD) Dipotassium peroxodisulphate (measured as [S208])	-	1		TWA (8 h)	OES

Additional advice on limit values

no data available

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Protective laboratory coats, gowns, or uniforms are recommended to prevent contamination of personal clothing.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671846 Totan Nitrogen Persulfate Reagent PP

Revision date: 06.03.2017

Product code: 2671846

Page 5 of 9

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: solid
Colour: white
Odour: odourless

Test method

pH-Value (at 20 °C): 4,1 (5 % solution)

Changes in the physical state

Melting point: 100 °C Decomposition temperature
Initial boiling point and boiling range: not applicable
Sublimation point: not applicable
Softening point: not applicable
Pour point: not applicable
Flash point: not applicable

Flammability

Solid: no data available
Gas: no data available

Explosive properties

not applicable

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Ignition temperature: no data available

Auto-ignition temperature

Solid: no data available
Gas: not applicable

Decomposition temperature: approx. 100 °C

Oxidizing properties

Oxidising

Vapour pressure: no data available

Vapour pressure: no data available

Density (at 20 °C): 2,48 g/cm³

Bulk density: approx. 1150 kg/m³

Water solubility:
(at 20 °C) 52 g/L

Solubility in other solvents

no data available

Partition coefficient: not applicable

Viscosity / dynamic: not applicable

Viscosity / kinematic: not applicable

Flow time: not applicable

Vapour density: not applicable

Evaporation rate: not applicable

Solvent separation test: not applicable

Solvent content: not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671846 Totan Nitrogen Persulfate Reagent PP

Revision date: 06.03.2017

Product code: 2671846

Page 6 of 9

9.2. Other information

Solid content: not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

no data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Strong bases, Acids, Metals, Reducing agents, Combustible material

10.6. Hazardous decomposition products

Sulphur oxides, nitrogen oxides (NO_x)

Further information

no data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

no data available

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
7727-21-1	dipotassium peroxodisulphate; potassium persulphate					
	oral	LD50 mg/kg	802	Rat	GESTIS	

Irritation and corrosivity

The product causes irritation of eyes, skin and mucous membranes.

Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation.

STOT-single exposure

H335 - May cause respiratory irritation.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

no data available

Additional information on tests

no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671846 Totan Nitrogen Persulfate Reagent PP

Revision date: 06.03.2017

Product code: 2671846

Page 7 of 9

Practical experience**Observations relevant to classification**

no data available

Other observations

no data available

Further information

no data available

SECTION 12: Ecological information**12.1. Toxicity**Acute fish toxicity = *Poecilia reticulato* LC50: 100 mg/l/96hToxicity to daphnia = *Daphnia magna* EC50: 357 mg/l/24hToxicity to bacteria = *Pseudomonas putida* EC50: 36 mg/l

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7727-21-1	dipotassium peroxodisulphate; potassium persulphate					
	Acute fish toxicity	LC50	100 mg/l	96 h	<i>Poecilia reticulata</i>	Hommel

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

Further information

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:**

UN1492

14.2. UN proper shipping name:

POTASSIUM PERSULPHATE

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671846 Totan Nitrogen Persulfate Reagent PP

Revision date: 06.03.2017

Product code: 2671846

Page 8 of 9

14.3. Transport hazard class(es): 5.1

14.4. Packing group: III

Hazard label: 5.1



Classification code: O2

Limited quantity: 5 kg

Transport category: 3

Hazard No: 50

Tunnel restriction code: E

Other applicable information (land transport)

Excepted Quantities: E1

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN1492

14.2. UN proper shipping name: POTASSIUM PERSULPHATE

14.3. Transport hazard class(es): 5.1

14.4. Packing group: III

Hazard label: 5.1



Marine pollutant: --

Special Provisions: -

Limited quantity: 5 kg

EmS: F-A, S-Q

Other applicable information (marine transport)

Excepted Quantities: E1

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN1492

14.2. UN proper shipping name: POTASSIUM PERSULPHATE

14.3. Transport hazard class(es): 5.1

14.4. Packing group: III

Hazard label: 5.1



Limited quantity Passenger: 10 kg

IATA-packing instructions - Passenger: 559

IATA-max. quantity - Passenger: 25 kg

IATA-packing instructions - Cargo: 563

IATA-max. quantity - Cargo: 100 kg

Other applicable information (air transport)

Excepted Quantities: E1

Passenger-LQ: Y546

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671846 Totan Nitrogen Persulfate Reagent PP

Revision date: 06.03.2017

Product code: 2671846

Page 9 of 9

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number 3316, Package group II, EMS Code: F-A, S-P
These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information****Additional information**

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D):

1 - slightly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Changes**

Revision: 6.03.2016

Safety datasheet sections which have been updated: 2

Revision: 13.12.2016

Safety datasheet sections which have been updated: 2, 4, 8, 11

This data sheet contains changes from the previous version in section(s): 4-15

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671946 TN (Total Nitrogen) Reagent A

Revision date: 04.06.2018

Product code: 2671946

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2671946 TN (Total Nitrogen) Reagent A

CAS No: 7681-57-4
Index No: 016-063-00-2
EC No: 231-673-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4
Acute toxicity: Acute Tox. 4
Acute toxicity: Acute Tox. 4
Skin corrosion/irritation: Skin Irrit. 2
Serious eye damage/eye irritation: Eye Dam. 1
Respiratory or skin sensitisation: Resp. Sens. 1
Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Harmful if swallowed.
Harmful in contact with skin.
Harmful if inhaled.
Causes skin irritation.
Causes serious eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause respiratory irritation.

2.2. Label elements

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671946 TN (Total Nitrogen) Reagent A

Revision date: 04.06.2018

Product code: 2671946

Page 2 of 9

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
7681-57-4	sodium metabisulphite	100 %
	231-673-0	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, STOT SE 3; H332 H312 H302 H315 H318 H334 H335	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.
 Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Oxygen, if needed. Consult a physician.

After contact with skin

Wash off immediately with plenty of water. Take off all contaminated clothing immediately. If skin irritation persists, call a physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671946 TN (Total Nitrogen) Reagent A

Revision date: 04.06.2018

Product code: 2671946

Page 3 of 9

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides., Sodium oxides

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency proceduresUse personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.
Do not breathe vapours, mist or gas.**6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling**Advice on safe handling**

Use only in well-ventilated areas. Avoid inhalation, ingestion and contact with skin and eyes.

Advice on protection against fire and explosion

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides., Sodium oxides

Further information on handling

Reacts with the following substances: Strong acids, Oxidizing agents

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep in a dry, cool place.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671946 TN (Total Nitrogen) Reagent A

Revision date: 04.06.2018

Product code: 2671946

Page 4 of 9

Hints on joint storage

Do not store near acids. Store in original container.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7681-57-4	Disodium disulphite	-	5		TWA (8 h)	WEL

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

Wash hands before breaks and after work.

General industrial hygiene practice.

Ensure that eye flushing systems and safety showers are located close to the working place.

Eye/face protection

Safety glasses with side-shields

Hand protection

Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In case of full contact:

Glove material : Nitrile rubber

Layer thickness: 0,11 mm

Break through time: >480 min

In case of contact through splashing:

Glove material : Nitrile rubber

Layer thickness: 0,11 mm

Break through time: >480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves.

Use barrier skin cream.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: powder
Colour: white
Odour: sulphurous

pH-Value (at 20 °C): 4,5 (1 % solution)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671946 TN (Total Nitrogen) Reagent A

Revision date: 04.06.2018

Product code: 2671946

Page 5 of 9

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	not applicable
Sublimation point:	no data available
Softening point:	no data available
Pour point:	not applicable
Decomposition temperature:	150 °C
Flash point:	not applicable
Sustaining combustion:	No data available

Flammability

Solid:	no data available
Gas:	no data available

Explosive properties

v

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure: no data available

Vapour pressure: no data available

Density (at 20 °C): 1,48 g/cm³

Bulk density: no data available

Water solubility:
(at 20 °C) 600 g/L**Solubility in other solvents**

no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: no data available

Evaporation rate: no data available

Solvent separation test: no data available

Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671946 TN (Total Nitrogen) Reagent A

Revision date: 04.06.2018

Product code: 2671946

Page 6 of 9

10.1. Reactivity

See also section 10.3

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances:
Acids, Oxidizing agents, Sulphides

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapours. Sulphur oxides

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.
LD50/oral/rat = 1131 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7681-57-4	sodium metabisulphite				
	oral	LD50 mg/kg	1131	Rat	
	dermal	LD50 mg/kg	2000	Rat	RTECS
	inhalation vapour	ATE	11 mg/l		
	inhalation (4 h) aerosol	LC50	2,01 mg/l	Rat	

Irritation and corrosivity

Causes skin irritation.
Causes serious eye damage.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (sodium metabisulphite)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.
Did not show carcinogenic or mutagenic effects in animal experiments.

STOT-single exposure

May cause respiratory irritation. (sodium metabisulphite)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

Causes severe irritation to eyes in animal experiments. (rabbit)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671946 TN (Total Nitrogen) Reagent A

Revision date: 04.06.2018

Product code: 2671946

Page 7 of 9

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity = Onchorhynchus mykiss LC50= 150-220 mg/l/96h

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7681-57-4	sodium metabisulphite					
	Acute fish toxicity	LC50	32 mg/l	96 h	Lepomis macrochirus (Bluegill sunfish)	OECD
	Acute crustacea toxicity	EC50	89 mg/l	48 h	Daphnia magna (Water flea)	OECD

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671946 TN (Total Nitrogen) Reagent A

Revision date: 04.06.2018

Product code: 2671946

Page 8 of 9

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)**Other applicable information (marine transport)**

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)**Other applicable information (air transport)**

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information****Additional information**

Classification according to EU Directives 67/548/EEC or 1999/45/EC

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Changes**

Revision: 21.08.2017

Safety datasheet sections which have been updated: 2, 9, 11

Revision: 21.07.20104

Safety datasheet sections which have been updated: 4-16

Revision: 22.12.2012

This data sheet contains changes from the previous version in section(s): 1-15

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

2671946 TN (Total Nitrogen) Reagent A

Revision date: 04.06.2018

Product code: 2671946

Page 9 of 9

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

2672046 TN (Total Nitrogen) Reagent B

Revision date: 28.11.2017

Product code: 2672046

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

2672046 TN (Total Nitrogen) Reagent B

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Resp. Sens. 1

Specific target organ toxicity - single exposure: STOT SE 1

Hazard Statements:

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Causes damage to organs.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Quartz

sodium metabisulphite

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2672046 TN (Total Nitrogen) Reagent B

Revision date: 28.11.2017

Product code: 2672046

Page 2 of 9

Pictograms:

Hazard statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
14808-60-7	Quartz	60-70 %
	238-878-4	
	Acute Tox. 4, Eye Irrit. 2, STOT SE 1; H302 H319 H370	
57-13-6	Urea	25-35 %
	200-315-5	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319	
129-96-4	Chromotropic acid disodium salt	5-10 %
	204-972-9	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335	
7681-57-4	sodium metabisulphite	1-10 %
	231-673-0	
	016-063-00-2	
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, STOT SE 3; H332 H302 H315 H318 H334 H335 EUH031	

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2672046 TN (Total Nitrogen) Reagent B

Revision date: 28.11.2017

Product code: 2672046

Page 3 of 9

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Give oxygen or artificial respiration if needed. Call a physician immediately.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Suitable extinguishing media: Water, Water spray jet, Carbon dioxide (CO₂), Dry chemical

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.
Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.
In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.
Do not breathe vapours, mist or gas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2672046 TN (Total Nitrogen) Reagent B

Revision date: 28.11.2017

Product code: 2672046

Page 4 of 9

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.
Do not breathe vapours/dust.
Use with adequate ventilation.

Advice on protection against fire and explosion

Fire may liberate hazardous vapours.

Further information on handling

Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep at temperatures between 10 and 25 °C.
Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

None known.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7681-57-4	Disodium disulphite	-	5		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2672046 TN (Total Nitrogen) Reagent B

Revision date: 28.11.2017

Product code: 2672046

Page 5 of 9

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Use only with adequate ventilation.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid	
Colour:	white, dark yellow	
Odour:	odourless	
pH-Value (at 20 °C):		no data available

Changes in the physical state

Melting point:		not applicable
Initial boiling point and boiling range:		not applicable
Sublimation point:		no data available
Softening point:		no data available
Pour point:		no data available
:		no data available
Flash point:		not applicable

Flammability

Solid:		not applicable
Gas:		not applicable

Explosive properties

not applicable

Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Ignition temperature:		no data available

Auto-ignition temperature

Solid:		no data available
Gas:		not applicable

Decomposition temperature:		no data available
----------------------------	--	-------------------

Oxidizing properties

no data available

Vapour pressure:		no data available
Vapour pressure:		no data available
Density:		no data available
Bulk density:		no data available
Water solubility:		no data available

Solubility in other solvents

no data available

Partition coefficient:		not applicable
Viscosity / dynamic:		not applicable
Viscosity / kinematic:		not applicable
Flow time:		not applicable
Vapour density:		no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2672046 TN (Total Nitrogen) Reagent B

Revision date: 28.11.2017

Product code: 2672046

Page 6 of 9

Evaporation rate:	no data available
Solvent separation test:	not applicable
Solvent content:	not applicable

9.2. Other information

Solid content:	no data available
----------------	-------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

no data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

no data available

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Avoid dust formation.

10.5. Incompatible materials

Oxidizing agents

10.6. Hazardous decomposition products

Carbon oxides, nitrogen oxides (NO_x), Sulphur oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.

Harmful if swallowed.

ATEmix calculated

ATE (oral) 802,2 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
14808-60-7	Quartz				
	oral	LD50 mg/kg	500	rat	
57-13-6	Urea				
	oral	LD50 mg/kg	8471	rat	
	dermal	LD50 mg/kg	8200	rat	
7681-57-4	sodium metabisulphite				
	oral	LD50 mg/kg	1131	Rat	
	dermal	LD50 mg/kg	>2000	Rat	
	inhalation vapour	ATE	11 mg/l		
	inhalation (4 h) aerosol	LC50	2,01 mg/l	Rat	

Irritation and corrosivity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2672046 TN (Total Nitrogen) Reagent B

Revision date: 28.11.2017

Product code: 2672046

Page 7 of 9

Causes skin irritation.
Causes serious eye irritation.
May cause eye and skin irritation.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (sodium metabisulphite)
May cause sensitisation by inhalation.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.
Contains no ingredient listed as a carcinogen

STOT-single exposure

Causes damage to organs. (Quartz)
H370 - Causes damage to the following organs:

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.
The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Aspiration hazard

Based on available data, the classification criteria are not met.
No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

no data available

Practical experience
Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information
12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
57-13-6	Urea					
	Acute fish toxicity	LC50 mg/l	6810	96 h		
	Acute crustacea toxicity	EC50 mg/l	3910	48 h		
7681-57-4	sodium metabisulphite					
	Acute fish toxicity	LC50 mg/l	150 - 220	96 h	Onchorhynchus mykiss	
	Acute crustacea toxicity	EC50	89 mg/l	48 h	Daphnia magna (Water flea)	

12.2. Persistence and degradability

no data available

12.3. Bioaccumulative potential

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2672046 TN (Total Nitrogen) Reagent B

Revision date: 28.11.2017

Product code: 2672046

Page 8 of 9

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2672046 TN (Total Nitrogen) Reagent B

Revision date: 28.11.2017

Product code: 2672046

Page 9 of 9

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

The product does not need to be labelled in accordance with EC directives or respective national laws.

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 28.11.2017

Safety datasheet sections which have been updated: 2, 11

Revision: 30.10.2016

Safety datasheet sections which have been updated: 2, 11, 15

Revision: 25.10.2016

Safety datasheet sections which have been updated: 2, 11

Revision: 21.07.2014

Safety datasheet sections which have been updated: 4,5,8,9,11,13

Revision: 21.12.2011

Safety datasheet sections which have been updated:

This data sheet contains changes from the previous version in section(s): 2-15

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
EUH031	Contact with acids liberates toxic gas.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2714045 HR Total Nitrogen Hydroxide Vials

Revision date: 12.12.2017

Product code: 2714045

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

2714045 HR Total Nitrogen Hydroxide Vials

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes serious eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

sodium hydroxide; caustic soda

Signal word: Danger**Pictograms:****Hazard statements**

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2714045 HR Total Nitrogen Hydroxide Vials

Revision date: 12.12.2017

Product code: 2714045

Page 2 of 8

P310 present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7732-18-5	Water			> 98 %
	231-791-2			
1310-73-2	sodium hydroxide; caustic soda			<1 %
	215-185-5	011-002-00-6		
	Skin Corr. 1A; H314			
497-19-8	sodium carbonate			< 1,0 %
	207-838-8	011-005-00-2		
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.
Never give anything by mouth to an unconscious person.
Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2714045 HR Total Nitrogen Hydroxide Vials

Revision date: 12.12.2017

Product code: 2714045

Page 3 of 8

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Dilute with plenty of water.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

Small amounts: Flush into sewer with plenty of water.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

General industrial hygiene practice.

Advice on protection against fire and explosion

no data available

Further information on handling

no data available

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store near acids.

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2714045 HR Total Nitrogen Hydroxide Vials

Revision date: 12.12.2017

Product code: 2714045

Page 4 of 8

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Additional advice on limit values

no data available

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Respiratory protection

Precautions for safe handling (ventilation, dust generation)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless
pH-Value (at 20 °C):	12,9

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	not applicable
Flash point:	not applicable

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable

Auto-ignition temperature

Solid:	no data available
--------	-------------------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2714045 HR Total Nitrogen Hydroxide Vials

Revision date: 12.12.2017

Product code: 2714045

Page 5 of 8

Gas:	no data available
Decomposition temperature:	no data available
Oxidizing properties	
not applicable	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1 g/cm ³
Bulk density:	not applicable
Water solubility:	soluble
Solubility in other solvents	
soluble	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

9.2. Other information

Solid content:	no data available
----------------	-------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following substances: Strong acids

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Strong acids

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

None known.

Acute toxicity

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2714045 HR Total Nitrogen Hydroxide Vials

Revision date: 12.12.2017

Product code: 2714045

Page 6 of 8

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
497-19-8	sodium carbonate					
	oral	LD50 mg/kg	4090	Rat	IUCLID	

Irritation and corrosivity

H318 - Causes serious eye damage.

Skin corrosion: Not applicable. (Test result)

Sensitising effects

None known.

Carcinogenic/mutagenic/toxic effects for reproduction

None known.

STOT-repeated exposure

None known.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

None known.

Additional information on tests

None known.

Practical experience
Observations relevant to classification

None known.

Other observations

None known.

Further information

None known.

SECTION 12: Ecological information
12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1310-73-2	sodium hydroxide; caustic soda					
	Acute fish toxicity	LC50 mg/l	45,4	96 h Onchorhynchus mykiss		
497-19-8	sodium carbonate					
	Acute fish toxicity	LC50	300 mg/l	96 h Lepomis macrochirus		
	Acute crustacea toxicity	EC50	265 mg/l	48 h Daphnia magna	IUCLID	

12.2. Persistence and degradability

None known.

12.3. Bioaccumulative potential

None known.

12.4. Mobility in soil

None known.

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2714045 HR Total Nitrogen Hydroxide Vials

Revision date: 12.12.2017

Product code: 2714045

Page 7 of 8

None known.

12.6. Other adverse effects

None known.

Further information

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

2714045 HR Total Nitrogen Hydroxide Vials

Revision date: 12.12.2017

Product code: 2714045

Page 8 of 8

Additional information

The product does not need to be labelled in accordance with EC directives or respective national laws.

National regulatory information

Water contaminating class (D): - - not water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 12.12.2017

Safety datasheet sections which have been updated: 1-16

Relevant H and EUH statements (number and full text)

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)