

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1057-66 Chloride 2 Indicator

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1

Germ cell mutagenicity: Muta. 1B

Carcinogenicity: Carc. 1B

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Acute 1

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer by inhalation.

May cause respiratory irritation.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 2 of 11

Regulation (EC) No. 1272/2008

Hazard components for labelling

potassium chromate

Signal word: Danger**Pictograms:**

Hazard statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350i	May cause cancer by inhalation.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201	Obtain special instructions before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Special labelling of certain mixtures

Restricted to professional users.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger**Pictograms:**

Hazard statements

H317-H340-H350i

Precautionary statements

P201-P202-P261-P272-P280-P302+P352-P321-P362+P364-P308+P313-P405-P501

2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 3 of 11

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7789-00-6	potassium chromate			45-55 %
	232-140-5	024-006-00-8		
	Carc. 1B, Muta. 1B, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H350i H340 H301 H315 H319 H317 H335 H400 H410			
144-55-8	Sodium hydrogen carbonate			45-55 %
	205-633-8			

Full text of H and EUH statements: see section 16.

Further Information

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
potassium chromate

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Take off all contaminated clothing immediately.
Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Call a physician immediately.
Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.
Never give anything by mouth to an unconscious person.
Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects, sensitising effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.
The following may develop in event of fire: sulfur oxides., Sodium oxides, Carbon monoxide, Carbon dioxide (CO₂), Chromium oxides

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 4 of 11

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust. Avoid contact with skin and eyes.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place.

Hints on joint storage

Prevent contamination with readily oxidizable materials and polymerisation accelerators.

Further information on storage conditions

Accessible only for authorized persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
-	Chromium (VI) compounds (as Cr)	-	0.05		TWA (8 h)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
	Chromium VI	chromium (creatinine)	10 µmol/mol	urine	Post shift

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 5 of 11

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant protective gloves

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothing before re-use.

Respiratory protection

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	powder
Colour:	light yellow
Odour:	odourless
pH-Value (at 20 °C):	8,2 (5 % solution)

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	not applicable
Sublimation point:	no data available
Softening point:	not applicable
Pour point:	not applicable
Decomposition temperature:	100 °C
Flash point:	not applicable

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 6 of 11

Ignition temperature:	no data available
Auto-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	100 °C
Oxidizing properties	
not applicable	
Vapour pressure:	no data available
Density (at 20 °C):	2,25 g/cm ³
Bulk density:	not applicable
Water solubility: (at 20 °C)	soluble
Solubility in other solvents	
no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available
9.2. Other information	
Solid content:	no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Hazard: Oxidizing agents, Strong acids

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.
Exposure to moisture.

10.5. Incompatible materials

Organic materials, Solvent

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO₂), Chromium oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

LD50/oral/rat = 128 mg/kg

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 7 of 11

ATEmix calculated

ATE (oral) 360,0 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7789-00-6	potassium chromate				
	oral	LD50 mg/kg	180	mouse	
144-55-8	Sodium hydrogen carbonate				
	oral	LD50 mg/kg	4220	rat	

Irritation and corrosivity

May cause eye and skin irritation.

Sensitising effects

May cause sensitisation by skin contact. (potassium chromate)

Carcinogenic/mutagenic/toxic effects for reproduction

H340 - May cause genetic defects. (potassium chromate)

H350 - May cause cancer.

STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation. (potassium chromate)

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Practical experience**Other observations**

None known.

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7789-00-6	potassium chromate					
	Acute fish toxicity	LC50 mg/l	45,6	96 h	Pimephales promelas	
	Acute crustacea toxicity	EC50 mg/l	0,18	48 h	Daphnia pulex	
144-55-8	Sodium hydrogen carbonate					
	Acute fish toxicity	LC50 mg/l	7550	96 h		
	Acute crustacea toxicity	EC50 mg/l	2350	48 h		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

- 14.1. UN number:** UN 3288
- 14.2. UN proper shipping name:** TOXIC SOLID, INORGANIC, N.O.S. ()
- 14.3. Transport hazard class(es):** 6.1
- 14.4. Packing group:** III

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 9 of 11

Hazard label: 6.1



Classification code: T5
 Special Provisions: 274
 Limited quantity: 5 kg
 Excepted quantity: E1
 Transport category: 2
 Hazard No: 60
 Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3288
14.2. UN proper shipping name: TOXIC SOLID, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 6.1
14.4. Packing group: III
 Hazard label: 6.1



Marine pollutant: --
 Special Provisions: 223, 274
 Limited quantity: 5 kg
 Excepted quantity: E1
 EmS: F-A, S-A

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3288
14.2. UN proper shipping name: TOXIC SOLID, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 6.1
14.4. Packing group: III
 Hazard label: 6.1



Special Provisions: A3 A5
 Limited quantity Passenger: 10 kg
 Passenger LQ: Y645
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 670
 IATA-max. quantity - Passenger: 100 kg
 IATA-packing instructions - Cargo: 677
 IATA-max. quantity - Cargo: 200 kg

14.5. Environmental hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 10 of 11

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: potassium chromate

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number 3316, Package group II, EMS Code: F-A, S-P
These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):
potassium chromateRestrictions on use (REACH, annex XVII):
Entry 28: potassium chromate

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 6.03.2019
Safety datasheet sections which have been updated: 2, 3, 11, 14, 15, 16
Revision: 4.09.2017
Safety datasheet sections which have been updated: 2, 10, 11
Revision: 11.04.2016
Safety datasheet sections which have been updated: 3
Revision: 04.05.2015
Safety datasheet sections which have been updated: 2, 4, 11
Revision: 09.03.2012
Safety datasheet sections which have been updated: 8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1057-66 Chloride 2 Indicator

Revision date: 06.03.2019

Product code: 105766

Page 11 of 11

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Muta. 1B; H340	Calculation method
Carc. 1B; H350i	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350i	May cause cancer by inhalation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14396-01 Silver Nitrate, 0.2256N crtg

Revision date: 11.09.2017

Product code: 1439601

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

14396-01 Silver Nitrate, 0.2256N crtg

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard Statements:

Causes skin irritation.

Causes serious eye damage.

Causes damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

silver nitrate

Signal word:

Danger

Pictograms:**Hazard statements**

H315

Causes skin irritation.

H318

Causes serious eye damage.

H372

Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14396-01 Silver Nitrate, 0.2256N crtg

Revision date: 11.09.2017

Product code: 1439601

Page 2 of 8

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P270 Do not eat, drink or smoke when using this product.
 P273 Avoid release to the environment.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P391 Collect spillage.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7732-18-5	Water			> 95 %
	231-791-2			
7761-88-8	silver nitrate			1-5 %
	231-853-9	047-001-00-2		
	Ox. Sol. 2, Acute Tox. 4, Skin Corr. 1B, STOT SE 3, STOT RE 1, Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H272 H302 H314 H335 H372 H400 H410			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

After contact with skin

Wash off with soap and water. If symptoms persist, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Drink 1 or 2 glasses of water. Prevent vomiting if possible. Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14396-01 Silver Nitrate, 0.2256N crtg

Revision date: 11.09.2017

Product code: 1439601

Page 3 of 8

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.
General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect from light, moisture and damage.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
-	Silver (soluble compounds as Ag)	-	0.01		TWA (8 h)	WEL

Additional advice on limit values

None known.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14396-01 Silver Nitrate, 0.2256N crtg

Revision date: 11.09.2017

Product code: 1439601

Page 4 of 8

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless
pH-Value (at 20 °C):	3,5

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	> 100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flash point:	not applicable
Sustaining combustion:	No data available

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	no data available
----------------------------	-------------------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14396-01 Silver Nitrate, 0.2256N crtg

Revision date: 11.09.2017

Product code: 1439601

Page 5 of 8

Oxidizing properties

not applicable

Vapour pressure:

no data available

Vapour pressure:

no data available

Density (at 20 °C):

1,031 g/cm³

Bulk density:

not applicable

Water solubility:

miscible

(at 20 °C)

Solubility in other solvents

miscible (Acid)

Partition coefficient:

no data available

Viscosity / dynamic:

no data available

Viscosity / kinematic:

no data available

Flow time:

no data available

Vapour density:

no data available

Evaporation rate:

no data available

Solvent separation test:

no data available

Solvent content:

no data available

9.2. Other information

Solid content:

not applicable

no data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

None known.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Decomposes on exposure to light.

Avoid temperatures above 100 °C.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No toxicology information is available.

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14396-01 Silver Nitrate, 0.2256N crtg

Revision date: 11.09.2017

Product code: 1439601

Page 6 of 8

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7761-88-8	silver nitrate				
	oral	LD50 mg/kg	1173	rat	RTECS

Irritation and corrosivity

Causes skin irritation.
 Causes serious eye damage.
 H318 - Causes serious eye damage.
 May cause skin irritation.

Sensitising effects

Based on available data, the classification criteria are not met.
 No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.
 Contains no ingredient listed as a carcinogen

STOT-single exposure

Based on available data, the classification criteria are not met.
 The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.
 The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Aspiration hazard

Based on available data, the classification criteria are not met.
 No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information
12.1. Toxicity

No data is available on the product itself.
 Do not let product enter drains.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7761-88-8	silver nitrate					
	Acute fish toxicity	LC50 mg/l	0,006	96 h	Oncorhynchus mykiss (rainbow trout)	
	Acute crustacea toxicity	EC50 mg/l	0,00156	48 h	Daphnia magna (Water flea)	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14396-01 Silver Nitrate, 0.2256N crtg

Revision date: 11.09.2017

Product code: 1439601

Page 7 of 8

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not classified as dangerous in the meaning of transport regulations.
Special Provisions:375

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not classified as dangerous in the meaning of transport regulations.
Special Provisions:375

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not classified as dangerous in the meaning of transport regulations.
Special Provisions:197

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: silver nitrate

14.6. Special precautions for user

no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14396-01 Silver Nitrate, 0.2256N crtg

Revision date: 11.09.2017

Product code: 1439601

Page 8 of 8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 11.09.2017

Safety datasheet sections which have been updated: 11

Revision: 14.08.2017

Safety datasheet sections which have been updated: 2, 9, 11

Revision: 7.02.2017

Safety datasheet sections which have been updated: 2, 4, 11

Revision: 26.05.2015

Safety datasheet sections which have been updated: 2, 4, 11

Revision: 23.01.2015

Safety datasheet sections which have been updated: 14

Revision: 5.11.2014

Safety datasheet sections which have been updated: 2, 4, 6-12, 14, 15

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14397-01 Silver Nitrate 1,128 N

Revision date: 17.07.2018

Product code: 1439701

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

14397-01 Silver Nitrate 1,128 N

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - repeated exposure: STOT RE 1

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

silver nitrate

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14397-01 Silver Nitrate 1,128 N

Revision date: 17.07.2018

Product code: 1439701

Page 2 of 8

Pictograms:

Hazard statements

- H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
 H372 Causes damage to organs through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P501 Dispose of contents/container to Disposal.

Additional advice on labelling

Classification according to EU Directives 67/548/EEC or 1999/45/EC
 The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
7732-18-5	Water	80-90 %
	231-791-2	
7761-88-8	silver nitrate	10-20 %
	231-853-9	
	047-001-00-2	
	Ox. Sol. 2, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H272 H314 H400 H410	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Take off all contaminated clothing immediately.
 Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14397-01 Silver Nitrate 1,128 N

Revision date: 17.07.2018

Product code: 1439701

Page 3 of 8

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.
Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Wash thoroughly after handling.

Advice on protection against fire and explosion

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14397-01 Silver Nitrate 1,128 N

Revision date: 17.07.2018

Product code: 1439701

Page 4 of 8

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
-	Silver (soluble compounds as Ag)	-	0.01		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant protective gloves

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash

contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin and eyes.

Remove and wash contaminated clothing before re-use.

Respiratory protection

Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless
pH-Value (at 20 °C):	4,3

Changes in the physical state

Melting point:	-4 °C
Initial boiling point and boiling range:	101 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	no data available
:	no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14397-01 Silver Nitrate 1,128 N

Revision date: 17.07.2018

Product code: 1439701

Page 5 of 8

Flash point: not applicable

Sustaining combustion: No data available

Flammability

Solid: not applicable

Gas: not applicable

Explosive properties

not applicable

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Ignition temperature: no data available

Auto-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: no data available

Oxidizing properties

not applicable

Vapour pressure: no data available

Vapour pressure: no data available

Density: no data available

Bulk density: not applicable

Water solubility: soluble

Solubility in other solvents

no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: 0,62

Evaporation rate:
(at 25 °C) 23 mm Hg

Solvent separation test: no data available

Solvent content: no data available

9.2. Other information

Solid content: not applicable

Corrosive in contact with metals

Aluminium : 14 mm/a

SECTION 10: Stability and reactivity**10.1. Reactivity**

See also section 10.3

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14397-01 Silver Nitrate 1,128 N

Revision date: 17.07.2018

Product code: 1439701

Page 6 of 8

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Oxidizing agents

10.6. Hazardous decomposition products

No decomposition if used as directed.

Further information

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

Irritation and corrosivity

Causes burns.

Sensitising effects

Contains no substance or substances classified as sensitising.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

H372 - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

EC50 (calculated) (Fish) = 3,07 mg/l

EC50/48h/daphnia = 0,0094 mg/l

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system.

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14397-01 Silver Nitrate 1,128 N

Revision date: 17.07.2018

Product code: 1439701

Page 7 of 8

12.4. Mobility in soil

Mobile in soils

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

Further information

M-Factor = 100

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1760
<u>14.2. UN proper shipping name:</u>	Corrosive liquid, n.o.s., (Silbernitratlösung)
<u>14.3. Transport hazard class(es):</u>	8
<u>14.4. Packing group:</u>	III

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

<u>14.1. UN number:</u>	UN 1760
<u>14.2. UN proper shipping name:</u>	Corrosive liquid, n.o.s. (Silver nitrate solution)
<u>14.3. Transport hazard class(es):</u>	8
<u>14.4. Packing group:</u>	III
Marine pollutant:	--

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number:</u>	UN 1760
<u>14.2. UN proper shipping name:</u>	Corrosive liquid, n.o.s. (Silver nitrate solution)
<u>14.3. Transport hazard class(es):</u>	8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

14397-01 Silver Nitrate 1,128 N

Revision date: 17.07.2018

Product code: 1439701

Page 8 of 8

14.4. Packing group: III**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: silver nitrate

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number 3316, Package group II, EMS Code: F-A, S-P

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 17.07.2018

Safety datasheet sections which have been updated: 14.5

Revision: 26.05.2015

Safety datasheet sections which have been updated: 2-16

Revision: 09.03.2012 Safety datasheet sections which have been updated: 8

Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H372 Causes damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)