MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935012	VISOCOLOR alpha Ammonium	Page: 1/10
Printing date: 02.06.2020	Date of issue: 22.04.2020	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	1.1	Product identifier
--	-----	--------------------

REF Product name 935012 VISOCOLOR alpha Ammonium

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 2,5 g NH ₄ -2
1 x 30 mL NH ₄ -1
1 x 12 mL NH ₄ -3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY Tel.: +49 2421 969 0

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

E-mail: sds@mn-net.com (msds@mn-net.com)

http://www.mn-net.com/SDS

You find our current versions of SDS (22 languages) in Internet:

SECTION 2: Hazard identification

2.0 Classification of the complete product



Signal word	DANGER
Hazard identification	Hazard classes/categories
H290 H314 H361f	Met. Corr. 1 Skin Corr. 1B Repr. 2

2.1 Classification of the substance or mixture

2,5 g NH₄ -2

Signal word

Do not need labelling as hazardous

No hazard class

ACHEREY-NAGE (MN> ISO 9001 CERTIFIEI

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935012	VISOCOLOR alpha Ammonium	Page: 2/10
Printing date: 02.06.2020	Date of issue: 22.04.2020	

30 mL NH₄ -1



Skin Corr. 1B

Repr. 2

Signal word DANGER Hazard identification Hazard classes/categories H290 Met. Corr. 1

H314 H361f

12 mL NH₄ -3

Signal word

Do not need labelling as hazardous

No hazard class

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Metal corrosive solutions do not have to be labelled with GHS symbol, signal word, H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2.1.3).

2,5 g NH₄ -2

Do not need labelling as hazardous Signal word: -

30 mL NH₄ -1



Signal word: DANGER

H314, H361f

Causes severe skin burns and eye damage. Suspected of damaging fertility.

P201, P260sh, P280sh, P303+361+353, P305+351+338, P310

Obtain special instructions before use. Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

12 mL NH₄ -3

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. H290 "May be corrosive to metals." has only relevance for higher concentrations and larger amounts. The labelling GHS05 would be creating an "OVERLABELLING" (see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3., until 125 mL no labelling necessary). ---

Information pertaining to particular risks to human and possible symptoms



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935012	VISOCOLOR alpha Ammonium	Page: 3/10
Printing date: 02.06.2020	Date of issue: 22.04.2020	

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs. Suspected of damaging fertility.

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment. PBT: not applicable

vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

2.5 a NH₄ -2

2,5 g NH ₄ -2			
Chemical: dichlo	proisocyanuric acid, Na salt		CAS No.: 2893-78-9
Classification:		4 oral, H319, Eye In	rit. 2, H335, STOT SE 3, H410, Aquatic
Chronic 1, EUH031	, 031 not defined		
Formula:	C3 Cl2 N3 NaO3		
Pseudonym:	troclosene sodium, sodium 3,5-dich	loro-2,4,6-trioxo-1,3	,5-triazinan-1-ide
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119489371-33-xxxx		
EC No.:	220-767-7	Indice No.:	613-030-01-7
RTECS:	XZ1900000	MFCD:	00006036
KE No.:	KE-10215, >25% Toxic 2014-1-688		
Concentration:	3 - <10 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		
	The citteria for classification are not fulfilled.		
	m chloride		CAS No.: 7647-14-5
Classification:	No criteria for classification or naming of che	mical not required.	
Formula:	NaCl		
Pseudonym:	salt		
TSCA Inventory:	listed		
REACH Reg. No.:	exempt, Annex V		
EC No.:	231-598-3		
RTECS:	VZ4725000		
KE No.:	KE-31387		
Concentration:	80 - <100 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		
30 mL NH ₄ -1			
Chemical: sodiu	m hydroxide solution		CAS No.: 1310-73-2
Classification:	H290, Met. Corr. 1, H314, Skin Cor	r. 1B	
Formula:	NaOH•H ₂ O		
Pseudonym:	soda lye		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119457892-27-xxxx		
EC No.:	215-185-5	Indice No.:	011-002-00-6
RTECS:	WB4900000		
KE No.:	KE-31487		
Concentration:	2 - <5 %		
acc. CLP (GHS):	H290, Met. Corr. 1, H314, Skin Cor	r 1B	
Chemical: sodiu	m salicylate		CAS No.: 54-21-7
Classification:	H302, Acute Tox. 4 oral, H319, Eye	Irrit. 2, H361, Repr.	2, H361d, Repr. 2
Formula:	C7 H5 NaO3		· · ·
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119918289-28-xxxx		
EC No.:	200-198-0		
RTECS:	VO5075000		
KE No.:	KE-20384		
Concentration:	1 - <10 %		
acc. CLP (GHS):	H361, Repr. 2, H361f, Repr. 2		
	1001, 10pl. 2, 10011, 10pl. 2		



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935012	VISOCOLOR alpha Ammonium		Page: 4/10
Printing date: 02.06.2020	Date of issue: 22.04.2020		
Chemical: tri-soc Classification: Formula: TSCA Inventory: REACH Reg. No.: EC No.: RTECS: KE No.: Concentration: acc. CLP (GHS):	dium citrate No criteria for classification or naming of chemical not required. $C_6 H_5 Na_3 O_7 \cdot 2H_2 O$ listed (CAS 68-04-2) 01-2119457027-40-xxxx 200-675-3 GE8300000 KE-20843 10 - <20 % The criteria for classification are not fulfilled.	CAS No.: 6132-04-3	
12 mL NH ₄ -3 Chemical: sodiul Classification: Formula: Pseudonym: TSCA Inventory: EC No.: RTECS: KE No.: Concentration: acc. CLP (GHS):	<i>m nitroprusside</i> H301, Acute Tox. 3 oral Na ₂ [Fe(CN) ₅ NO] ₂ •2 H ₂ O disodium pentacyanonitrosylferrate listed (CAS 14402-89-2) 238-373-9 LJ89250000 not listed 1 - <5 % The criteria for classification are not fulfilled.	CAS No.: 13755-38-9	
3.3 Remarks			

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

4.2 Most important symptoms and effects, both acute and delayed

CMR Effects: Suspected of damaging fertility. ---

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. ---



www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany DE/international: CH: FR:

 ISO 9001 CERTIFIED
 Fax:
 +49 24 21 969-0

 Fax:
 +49 24 21 969-199

Version: M V 4.12.0 E-mail: info@mn-net.com

Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935012	VISOCOLOR alpha Ammonium	Page: 5/10
Printing date: 02.06.2020	Date of issue: 22.04.2020	

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed

6.2 **Environmental precautions**

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 8B Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

2,5 g NH4 -2 Chemical: dichloroisocyanuric acid, Na salt CAS No.: 2893-78-9 not listed NIOSH: average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period [TWA] Time-weighted OSHAnot listed Chemical: sodium chloride CAS No.: 7647-14-5

30 mL NH₄ -1

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany ACHEREY-NAGE DE/international: CH: FR US: $\langle MN \rangle$ Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	35012	VISOCOLOR alpha Amr	nonium Page: 6/10
Printing	g date: 02.06.2020	Date of issue: 22.04.202	20
	DNEL = Derived No-Effect Le TRGS 900 (DE): 2	inh] 1 mg/m³ evel (for workers) 2 mg/m³	CAS No.: 1310-73-2
	Short-term exposure factor: (skin resorptive (H), respirate	ory sensitizable (Sa), skin sensitizable (Sh), terat	ogenic (Z) not securely excluded / (Y) certainly excluded
	NIOSH: [TWA] Time-weighted average	? e mg/m ³ ? mg/m ³ le to a reference period of 8 hours, [STEL] Short- TWA] 2 mg/m ³	term exposure limit related to a 15-minute period
	Chemical: sodium salicylat DNEL: 1 DNEL = Derived No-Effect Le	,32 mg/m³	CAS No.: 54-21-7
	PNEC _{(fresh water}) : (PNEC = Predicted No Effecte),0413 mg/L ad Concentration	
	Chemical: tri-sodium citrate)	CAS No.: 6132-04-3
	12 mL NH 4 -3 Chemical: sodium nitroprus	sside	CAS No.: 13755-38-9
8.2	Exposure controls Good ventilation and extraction sys level of cleanliness must be mainta		nicals with floor drainage and washing facilities. The highest
8.2.1	Respiratory protection No additional recommendation	s.	
8.2.2		(permeation time >30 min - level 2), co nemical resistant latex gloves with code	onsist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell e EN 374-3 level 1.
8.2.3	Eye protection Yes, safety glasses according	EN 166 with integrated side shields or	wrap-around protection or face protection.
8.2.4	Skin protection Recommended to avoid clothir	ng damage, and to avoid contamination	with these hazards.
8.2.5	with the skin, eyes and clothing	g. Rinse any clothing on which the subs	eas and at outdoor workplaces is prohibited. Avoid contact stance has been spilled, and soak it in water. Wash hands g, and then apply protective skin cream.
SECT	ION 9: Physical and che	emical properties	
9.1	Information on basic phys	ical and chemical properties	
	2,5 g NH ₄ -2		

Appearance: powder (solid) pH:	Colour: colourless 5-7	Odor: chloric
30 mL NH 4 -1 Appearance: liquid pH:	Colour: colourless 12-13	Odor: odorless
12 mL NH 4 -3 Appearance: liquid pH:	Colour: rose 6-8	Odor: odorless

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

www.mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com



	935012 a data: 02.06.2020		VISOCOLOR alpha Ammonium Date of issue: 22.04.2020	Page: 7/1
	g date: 02.06.2020		Date of Issue. 22.04.2020	
SECI	ΓΙΟΝ 10: Stability a	nd reactivity		
10.1	Reactivity no further data available.			
10.2	Chemical stability No known instability.			
10.3	Possibility of hazar Can react violently with or		ther data available.	
10.4	Conditions to avoid Not necessary	l		
10.5	Incompatible mater Avoid contact with strong a			
10.6	Hazardous decomp In the original package all period under recommende	parts/all reagents are	safety and separated stored. Decomposition	ns are not observed during the expiration
SECT	FION 11: Toxicolog	ical informati	on	
11.1	Information on toxic Following information is	•	; :a nces. Quantitative data on the toxicity of th	nis product are not available.
	2,5 g NH ₄ -2			
	Chemical: TSCA Inventory: Australia NICNAS: Japan CSCL/PRTR: Japan ISHL: South Korea TCCA:	not listed not listed	California Proposition 65 List: not li Canada CEPA 1999: DSL ban PDSCL: not listed 25% Toxic 2014-1-688	
	Chemical: TSCA Inventory: Korea Exist.Chem.Inv LD50 _{orl rat} : LD50 _{drm rbt} :	sodium chloride listed ventory: KE-31387 3000 mg/kg 10 g/kg		CAS No.: 7647-14-5
	30 mL NH4 -1			
		sodium hydroxide so	lution	CAS No.: 1310-73-2

listed California Proposition 65 List: not listed TSCA Inventory: Exposure Routes: inhalation, ingestion, skin and/or eye contact Target Organs: Eyes, skin, respiratory system Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair Australia NICNAS: Canada CEPA 1999: DSL Yes not listed Japan CSCL/PRTR: not listed, Japan PDSCL: not listed listed ≥1,0%/≥1,0%, Article 57-2 (SDS required) Japan ISHL: South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-31487 [40%] 1250 / [<25%] >2000 mg/kg LD50orl rat : LD50_{orl mus} :

40 mg/kg

Chemical: sodium salicylate CAS No.: 54-21-7 TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-20384 LD50_{orl rat} : 1000 mg/kg LC_Loworl hmn : 700 mg/kg LD50drm rat : 2000 mg/kg



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

5012 date: 02.06.2020	VISOCOLOR alpha Ammonium Date of issue: 22.04.2020		Page: 8/1
Carcinogenic Effects: Suspected	of damaging fertility.		
TSCA Inventory: liste Korea Exist.Chem.Inventory: KE-	d (CAS 68-04-2) 20843	CAS No.: 6132-04-3	
12 mL NH ₄ -3			
TSCA Inventory: liste Korea Exist.Chem.Inventory: not LD50 _{orl rat} : 99 r	d (CAS 14402-89-2) listed ng/kg	CAS No.: 13755-38-9	
ION 12: Ecological inform	ation		
Toxicity			
Following information is valid for pu	ire substances.		
Water hazard class (DE):	3	CAS No.: 2893-78-9	
Chemical: sodium Water hazard class (DE): Storage class (VCI):	chioride 1 12-13	CAS No.: 7647-14-5	
Avoid contact of substance/m LC50 _{leuciscus} idus/96h [:] LC50fish/96h [:] EC50 _{daphnia} /48h [:] Water hazard class (DE):	nixture to environment. 35-189 mg/L 45.4 mg/L >100 mg/L 1 WGK No.: 142	CAS No.: 1310-73-2	
Chemical: sodium PNEC(fresh water):	salicylate 0,0413 mg/L	CAS No.: 54-21-7	
Water hazard class (DE): Storage class (VCI):	1 12-13		
Chemical: tri-sodiu LC50fish/96h : EC50daphnia/48h : EC50chlorella vulgaris/5d : EC10pseudomonas putita/16h : Water hazard class (DE): Storage class (VCI):	um citrate 18-32 g/L 5.6-10 g/L >18-32 g/L EC50 _{ps. fluorescens/8h} : >1.8-3.2 g/L 1 12-13	CAS No.: 6132-04-3	
12 mL NH 4 -3 Chemical: sodium Water hazard class (DE):	nitroprusside 3 6.1 B	CAS No.: 13755-38-9	
	date: 02.06.2020 Carcinogenic Effects: Suspected of Chemical: tri-sodium cr TSCA Inventory: lister Korea Exist.Chem.Inventory: KE- LD50 _{orl rat} : sodium nitro TSCA Inventory: lister Korea Exist.Chem.Inventory: not LD50 _{orl rat} : 99 r LC_LOWorl rat: 20 r CON 12: Ecological inform Toxicity Following information is valid for put 2,5 g NH ₄ -2 Chemical: dichlore Water hazard class (DE): Storage class (VCI): Chemical: sodium Water hazard class (DE): Storage class (VCI): 30 mL NH₄ -1 Chemical: sodium Avoid contact of substance/m LC50 _{leuciscus} idus/96h : LC50 _{lish/96h} : EC50 _{daphnia/48h} : Water hazard class (DE): Storage class (VCI): Chemical: sodium Avoid contact of substance/m LC50 _{leuciscus} idus/96h : LC50 _{lish/96h} : EC50 _{daphnia/48h} : Water hazard class (DE): Storage class (VCI): Chemical: sodium PNEC(fresh water) : PNEC = Predicted No Effected Cond Water hazard class (DE): Storage class (VCI): Chemical: tri-sodiu LC50 _{lish/96h} : EC50 _{daphnia/48h}	dete: v2.08.2021 Det of source 22.24.2022 Carcinogenic Effects: Suspected of damaging fertility. Chemical: <i>tri-sodium citrate</i> TSCA Inventory: Misted (CAS 68-04-2) Source 20.2000 mg/kg 12 mL NH4 - 3 21 mL NH4 - 5 21 mL NH4 - 1 22 mL NH4 - 1 22 mL NH4 - 1 23 mL NH4 - 1 24 mL NH4 - 1 2	date: 02.06.020 Date of issue: 22.04.2020 Carcinogenic Effects: Suspected of damaging fertility. CAS No.: 6132-04-3 TSCA Inventory: listed (CAS 68-04-2) Korae Exit: Chem.Inventory: KE-20043 LD50ort.mat: s-8000 mg/kg 21 mL NH-1-3 CAS No.: 6132-04-3 Chemical: s-6000 mg/kg 21 mL NH-1-3 CAS No.: 13755-38-9 TSCA Inventory: listed (CAS 14402-89-2) Korae Exit: Chem.Inventory: listed (CAS 14402-89-2) Storage class (VCI): listed (CAS 14402-89-2) Storage class (VCI):<



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: US: DE/international: CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935012	VISOCOLOR alpha Ammonium	Page: 9/10
Printing date: 02.06.2020	Date of issue: 22.04.2020	

- 12.3 **Bioaccumulative potential**
- not necessary 12.4 Mobility in soil not necessary
- 12.5 Results of PBT and vPvB assessment no data available
- 12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water

SECTION 14: Transport information

14.1. UN number: 14.3. Class:		UN proper shipping Packing group: II	name: Chemical Kit
Road transport			
Classification code:	M11	Tunnel restriction co	de: E
Limited Quantity: Air transport	acc. ADR 3.3	.1/251: see LQ in Alter	rnative declaration for transportation
PAX:	960	max. weight PAX:	10 KG
CAO:	960	max. weight CAO:	10 KG
Maritime transport		-	
EmS:	F-A, S-P	Storage category:	A

Or use Alternative declaration for transportation: UN No.: (see below) class 8 II, Excepted Quantities (≤30 mL/∑≤500 mL) = ADR/ IATA E2 or 14.1 UN number: 3266 14.2 UN proper shipping name: Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution) 14.3 Class: 8 14.4 Packing group: 11 Road transport Classification code: C5 Limited Quantity: 1 L Tunnel restriction code: Е Excepted Quantity: E 2 Air transport PAX: 851 max. weight PAX: 1 L CAO: 855 max. weight CAO: 30 L Maritime transport FmS[.] F-A, S-B Storage category: В

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935012 VISOCOLOR alpha Ammonium Page: 10/10 Printing date: 02.06.2020 Date of issue: 22.04.2020 15.2 Chemical safety assessment not necessary for these small amounts ---**SECTION 16: Other information** 16.1 List of H and P phrases

16.1.1	List of relevant H	List of relevant H phrases			
	H290	May be corrosive to metals.			
	H314	Causes severe skin burns and eye damage.			
	H361	Suspected of damaging fertility or the unborn child.			
	H361f	Suspected of damaging fertility.			
16.1.2	List of relevant P phrases				
	P201	Obtain special instructions before use.			
	P260sh	Do not breathe dust/vapours.			
	P280sh	Wear protective gloves/eye protection.			
	P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].			
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
	P310	Immediately call a POISON CENTER/doctor.			
	P390	Absorb spillage to prevent material damage.			
40.0					

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work TRGS 905, German engineering rules governing carcinogens and mutagens, updated 03/18 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international:

Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 Version: M V 4.12.0 E-mail: info@mn-net.com

CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com