# **MACHEREY-NAGEL**



## **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92528	NANOCONTROL Standard COD 15000	Page: 1/6
Printing date: 02.06.2020	Date of issue: 18.06.2018	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier			
	REF92528Product nameNANOCONTROL Standard COD 15000			
	REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.			
	1 x 30 mL NANOCONTROL COD 15000			
1.2	Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described			
1.3	Details of the supplier of the safety data sheet Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)			
1.4	Emergency telephone number Information not necessary.			
	You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS			
SEC	TION 2: Hazard identification			
2.1	Classification of the substance or mixture			
	30 mL NANOCONTROL COD 15000			
	Do not need labelling as hazardous Signal word -			
	No hazard class			
2.2	Label elements			
	30 mL NANOCONTROL COD 15000			
	Do not need labelling as hazardous Signal word: -			
2.3	Other hazards			
	<b>Possible hazards from physicochemical properties</b> According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less bazardous potential			

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

An individual package has considerably less hazardous potential. ---



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com

# **MACHEREY-NAGEL**



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92528 NANOCONTROL Standard COD 15000 Page: 2/6 Printing date: 02.06.2020 Date of issue: 18.06.2018

Other hazards

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

30 mL NANOCONTROL COI Chemical: sulfuri Classification: Formula:	D 15000 <i>ic acid</i> (diluted < 5 %) H315, Skin Irrit. 2, H319, H <sub>2</sub> SO <sub>4</sub> •H <sub>2</sub> O	Eye Irrit. 2	CAS No.: 7664-93-9d
TSCA Inventory: REACH Reg. No.: EC No.: RTECS: KE No.: Concentration: acc. CLP (GHS):	listed 01-2119458838-20-xxxx 231-639-5 WS5600000 KE-32570 1 - <5 % The criteria for classification are	Indice No.:	016-020-00-8
Classification: Formula: Pseudonym:	sium hydrogen phthalate No criteria for classification or n $C_8 H_5 KO_4$ 1,2-benzenedicarboxylic		CAS No.: 877-24-7
TSCA Inventory: EC No.: RTECS: Concentration: acc. CLP (GHS):	listed 212-889-4 CZ4326000 < 1.00 % The criteria for classification are	MFCD:	00013070

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

## **SECTION 4: First aid measures**

4.1	Description of first aid measures
	Place insured person out of danger zone to fresh air immediately.
4.1.1	After SKIN Contact Not necessary.
4.1.2	After EYE Contact Not necessary.
4.1.3	After INHALATION of vapours Not necessary
4.1.4	After ORAL Intake Not necessary
4.2	Most important symptoms and effects, both acute and delayed
4.3	Indication of any immediate medical attention and special treatment needed

No additionally recommendations.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.2 Special hazards arising from the substance or mixture None.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92528 Printing date: 02.06.2020		NANOCONTROL Standar Date of issue: 18.06.2018	d COD 15000 Page: 3/
	<u> </u>	Bate of 18846. 10.00.2010	
5.3	Advice for firefighters	package burns like paper or plastic.	
.4	Additional information		
SEC1	FION 6: Accidental re	lease measures	
.1	<b>Personal precautions,</b> Do not breathe vapours. Not r	protective equipment and emergenecessary.	ncy procedures
5.2	Environmental precau	tions	
6.3	Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.		
6.4	Reference to other sec	tions	
SECI	FION 7: Handling and	storage	
7.1	<b>Precautions for safe h</b> Handling in accordance with t	andling ne test instruction, that comes with the product	
7.2	Conditions for safe storage, including any incompatibilities         The original product package of MACHEREY-NAGEL allows a safe storage.         Storage class (VCI):       8B         Water hazard class (DE):       1		
.2.1	<b>Requirements for stock</b> Keep original product page	rooms and containers kages tightly closed during handling and stora	ge.
7.3	Specific end use(s) Product for analytical use.		
SECI	ΓΙΟΝ 8: Exposure coι	trols/personal protection	
8.1	<b>Control parameters</b>		
	PNEC(fresh water):		CAS No.: 7664-93-9d
		spiratory sensitizable (Sa), skin sensitizable (Sh), teratog	enic (Z) not securely excluded / (Y) certainly excluded
	SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted OSHA:	0,1 e mg/m <sup>3</sup> NTP Report on Carcinogens (RoC) List Yo average to a reference period of 8 hours, [STEL] Short-ter [TWA] 1 mg/m <sup>3</sup>	es (Known to be a human carcinogen); TWA 1 mg/m <sup>3</sup> m exposure limit related to a 15-minute period
		hydrogen phthalate	CAS No.: 877-24-7
8.2	Exposure controls	n and extraction system in the room, floor resi	stant to chemicals with floor drainage and washing facilities
.2.1	Respiratory protection Not necessary.		

8.2.2 Hand protection Not necessary.

www.mn-net.com





# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92528		NANOCONTROL Standard COD 15000	Page: 4/6
Printing d	late: 02.06.2020	Date of issue: 18.06.2018	
8.2.3	Eye protection		

Not necessary. 8.2.4 Skin protection Not necessary. 8.2.5 Personal hygiene Information not necessary.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

30 mL NANOCONTROL COD 15000 Appearance: liquid pH: Specific gravity: Solubility in water:

Odor: odorless

#### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group** 

Colour: colourless

1-2

1,01 g/cm<sup>3</sup>

0-100 %

### SECTION 10: Stability and reactivity

10.1	Reactivity
	None

- 10.2 **Chemical stability** No known instability.
- 10.3 Possibility of hazardous reactions None.
- 10.4 Conditions to avoid Not known. Observe labeled storage temperature. ---
- 10.5 Incompatible materials Not known

#### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

### 30 mL NANOCONTROL COD 15000

Chamical		CAS No. 7664 02 0d
	sulfuric acid	CAS No.: 7664-93-9d
TSCA Inventory:	listed	California Proposition 65 List: not listed
ACGIH:	1 ppm	
Exposure Routes:	inhalation, inge	stion, skin and/or eye contact
Target Organs:	Eyes, skin, res	piratory system, teeth
Symptoms:	irritation eyes,	skin, nose
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japa	n PDSCL: Deleterious Substance
Japan ISHL:	listed ≥1,0%/≥1	,0%, Article 57-2 (SDS required)
South Korea TCCA:	Accident Preca	ution Chemical Yes
Korea Exist.Chem.Inve	entory: KE-32570	
LD50 <sub>orl rat</sub> :	2140 mg/kg	
LC50 <sub>ihl rat</sub> :	[8h] 600/ [4h] 8	50 mg/m³

TRGS 905 (DE):

MACHEREY-NAGE  $\langle MN \rangle$ ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

R<sub>F</sub> C

www.mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92528		NANOCONTROL Standard COD 1	5000 Page: 5/6
Printing	) date: 02.06.2020	Date of issue: 18.06.2018	
	Chemical: potassium hydroxical for the potass	lrogen phthalate	CAS No.: 877-24-7
SECT	ION 12: Ecological informa	tion	
12.1	Toxicity Following information is valid for pure	substances.	
	30 mL NANOCONTROL COD 1500 Chemical: sulfuric ac PNEC(fresh water) : PNEC = Predicted No Effected Concen	cid 2.5 μg/L tration	CAS No.: 7664-93-9d
	LC50fish/96h: EC50 <sub>daphnia</sub> /48h: EC10 <sub>pseudomonas putita/16h</sub> : Water hazard class (DE): Storage class (VCI):	[NOEC, 65d] 25 µg/L 100 mg/L [72h] 100 mg/L 1 WGK No.: 0182 8 B	
	Chemical: potassiun	n hydrogen phthalate	CAS No.: 877-24-7
12.2	Persistence and degradability not necessary		
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB asse no data available	ssment	
12.6	Other adverse effects no additional data available		
SECT	ION 13: Disposal considera	itions	
Ν	ot necessary.		
13.1	Waste treatment methods GENERAL: Empty solids into municipal v	vaste, empty liquids diluted into drains.	
	TON 14: Transport informat 4.1 - 14.4 Not necessary	ion	
14.5	Environmental hazards		
14.6	Special precautions for user not necessary		
14.7	,	Annex II of MARPOL and the IBC	C Code
SECT	ION 15: Regulatory informa	ntion	

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

www.mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

# **MACHEREY-NAGEL**



### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92528NANOCONTROL Standard COD 15000Page: 6/6Printing date: 02.06.2020Date of issue: 18.06.2018

### 15.2 Chemical safety assessment

### **SECTION 16: Other information**

### 16.1 List of H and P phrases

- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases
- 16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

### 16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany ACHEREY-NAGE DE/international: CH: FR: US: MN> Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com