

Safety Data Sheet

according to Regulation (EC) No 1907/2006

20702-42 Chlorine Dioxide Reagent 3

Revision date: 26.06.2017

Product code: 2070242

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

20702-42 Chlorine Dioxide Reagent 3

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

2-amino-2-methylpropanol

Signal word: Warning**Pictograms:****Hazard statements**

H319

Causes serious eye irritation.

Precautionary statements

P264

Wash hands thoroughly after handling.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

20702-42 Chlorine Dioxide Reagent 3

Revision date: 26.06.2017

Product code: 2070242

Page 2 of 8

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			75-85 %
	231-791-2			
124-68-5	2-amino-2-methylpropanol			15-25 %
	204-709-8	603-070-00-6		
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Safety Data Sheet

according to Regulation (EC) No 1907/2006

20702-42 Chlorine Dioxide Reagent 3

Revision date: 26.06.2017

Product code: 2070242

Page 3 of 8

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Alcohol-resistant foam, Dry powder

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. In the event of fire the following can be released:

Carbon monoxide, Carbon dioxide (CO₂), nitrogen oxides (NO_x)

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas. Ensure adequate ventilation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

Soak up with inert absorbent material.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool and well-ventilated place.

Protect against light.

Hints on joint storage

Do not store together with Oxidizing agents

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

20702-42 Chlorine Dioxide Reagent 3

Revision date: 26.06.2017

Product code: 2070242

Page 4 of 8

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless
pH-Value (at 20 °C):	11,6

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	101 °C
Sublimation point:	not applicable
Softening point:	no data available
Pour point:	no data available
:	no data available
Flash point:	not applicable

Flammability

Solid:	no data available
Gas:	no data available

Explosive properties

no data available

Lower explosion limits:	no data available
Upper explosion limits:	no data available
Ignition temperature:	no data available

Auto-ignition temperature

Safety Data Sheet

according to Regulation (EC) No 1907/2006

20702-42 Chlorine Dioxide Reagent 3

Revision date: 26.06.2017

Product code: 2070242

Page 5 of 8

Solid: no data available

Gas: no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure: no data available

Vapour pressure: no data available

Density (at 20 °C): 0,99 g/cm³

Bulk density: not applicable

Water solubility:
(at 20 °C) completely soluble**Solubility in other solvents**

no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: no data available

Evaporation rate: no data available

Solvent separation test: no data available

Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents

10.4. Conditions to avoid

Decomposes on heating.

Keep away from Oxidizing agents.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition productsCarbon monoxide, Carbon dioxide (CO₂), nitrogen oxides (NO_x)**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

20702-42 Chlorine Dioxide Reagent 3

Revision date: 26.06.2017

Product code: 2070242

Page 6 of 8

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
124-68-5	2-amino-2-methylpropanol				
	oral	LD50 mg/kg	2900	Rat	IUCLID
	dermal	LD50 mg/kg	> 2000	Rabbit	IUCLID

Irritation and corrosivity

May cause eye irritation.

Skin corrosion: Not applicable.

Test Method: Animal studies, rabbit skin

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

-

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information
12.1. Toxicity

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
124-68-5	2-amino-2-methylpropanol					
	Acute fish toxicity	LC50	190 mg/l	96 h	Lepomis macrochirus	IUCLID
	Acute algae toxicity	ErC50	520 mg/l	72 h	Desmodesmus subspicatus	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
124-68-5	2-amino-2-methylpropanol	-0,74

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to Regulation (EC) No 1907/2006

20702-42 Chlorine Dioxide Reagent 3

Revision date: 26.06.2017

Product code: 2070242

Page 7 of 8

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 26.06.2017

Safety datasheet sections which have been updated: 2, 4, 7, 10, 11

Revision: 23.06.2015

Safety datasheet sections which have been updated: 2, 11

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

20702-42 Chlorine Dioxide Reagent 3

Revision date: 26.06.2017

Product code: 2070242

Page 8 of 8

Revision: 26.08.2014

Safety datasheet sections which have been updated: 4-16

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)